
Municipality of Cape Dorset P.O. Box 30.

H'c_c ρ"\u0"
Cape Dorset, N.W.T. XOA 0C0
Tel: (819) 897-8943
Fax: (819) 897-8030

ρ"\u0"
ΔωΔ' ωα"
υσ



July 3, 2006

Nunavut Water Board P.O. Box 119 Gjoa Haven, Nunavut X0B 1J0

ATTN: Joe Murdock – Technical Advisor

Dear Joe:

Re: Notification of Decanting of Sewage Lagoon in Cape Dorset

The Hamlet of Cape Dorset is seeking permission to decant the four (4) existing sewage lagoon cells in Cape Dorset. We wish to do so in order to increase the storage capacity of the cells during the winter months. We plan to start the decanting process during the first week of August 2006.

I will be on vacation for the entire month of July. Eugene Smith will be acting SAO until I return on August 8,2006. Please feel free to contact him at 867-897-8943 if you have any questions or comments.

Yours Sincerely,

Art Stewart

Senior Administrative Officer

Nunavut Water Board

JUL 13 2006

Public Registry

cc: Mike Hayward - Director of Municipal Works

Todd Parsons - Senior Municipal Planning Engineer CGS

Timoon Toonoo – Regional Superintendent CGS