

C.O.C.: DW 20643

REPORT No. B15-20643

Report To:

Municipality of Cape Dorset

PO Box 30,
Cape Dorset NU X0A 0C0 Canada

Attention: Ed Devereaux

Caduceon Environmental Laboratories

2378 Holly Lane
Ottawa Ontario K1V 7P1
Tel: 613-526-0123
Fax: 613-526-1244

DATE RECEIVED: 13-Aug-15

JOB/PROJECT NO.:

DATE REPORTED: 25-Aug-15

P.O. NUMBER:


SAMPLE MATRIX: Drinking Water

WATERWORKS NO.

			Client I.D.	Raw Drinking Water			
			Sample I.D.	B15-20643-1			
			Date Collected	11-Aug-15			
Parameter	Units	R.L.	Reference Method	Date/Site Analyzed			
Turbidity	NTU	0.1	SM 2130	25-Aug-15/O	0.9		
TDS (Calc. from Cond.)	mg/L		Calc.	18-Aug-15	29		
Surfactants Content	mg/L	0.05	SM-5540-C	21-Aug-15/O	< 0.05 ²		
Chloride	mg/L	0.5	SM4110C	13-Aug-15/O	6.3		
Fluoride	mg/L	0.1	SM4110C	13-Aug-15/O	< 0.1		
Nitrate (N)	mg/L	0.1	SM4110C	13-Aug-15/O	0.1		
Sulphate	mg/L	1	SM4110C	13-Aug-15/O	2		
Dissolved Organic Carbon	mg/L	0.2	EPA 415.1	17-Aug-15/O	1.2		
Total Cyanide	mg/L	0.005	SM 4500CN	19-Aug-15/K	< 0.005		
Phenolics	mg/L	0.001	MOEE 3179	19-Aug-15/O	< 0.001		
Arsenic	mg/L	0.0001	EPA 200.8	14-Aug-15/O	0.0001		
Barium	mg/L	0.001	SM 3120	14-Aug-15/O	0.001		
Cadmium	mg/L	0.00002	EPA 200.8	14-Aug-15/O	< 0.00002		
Chromium	mg/L	0.002	SM 3120	14-Aug-15/O	< 0.002		
Chromium (VI)	mg/L	0.002	MOE E3056	14-Aug-15/O	< 0.002 ¹		
Iron	mg/L	0.005	SM 3120	14-Aug-15/O	< 0.005		
Lead	mg/L	0.00002	EPA 200.8	14-Aug-15/O	< 0.00002		
Manganese	mg/L	0.001	SM 3120	14-Aug-15/O	0.001		
Selenium	mg/L	0.001	EPA 200.8	14-Aug-15/O	< 0.001		
Silver	mg/L	0.00002	EPA 200.8	14-Aug-15/O	< 0.00002		
Zinc	mg/L	0.005	SM 3120	14-Aug-15/O	< 0.005		

¹ Chromium (VI) result is based on total chromium

² Subcontracted to Niagara Analytical



Gord Murphy
Lab Supervisor

R.L. = Reporting Limit

Site Analyzed: K-Kingston, W-Windsor, O-Ottawa, R-Richmond Hill

Uncertainty Values available upon request

The analytical results reported herein refer to the samples as received. Reproduction of this analytical report in full or in part is prohibited without prior consent from Caduceon Environmental Laboratories.