

**From:** [Lawson, Nick](#)  
**To:** [Phyllis Beaulieu](#); [Wayne Thistle](#); [sdhavale@gov.nu.ca](mailto:sdhavale@gov.nu.ca); [Hamlet of Chesterfield Inlet](#)  
**Cc:** [Steve Lines](#); [Roy Green](#); [Elliott, Jeff](#); [Sibbald, Carey](#)  
**Subject:** RE: 3BM-CHE0308 Urgent Response Required  
**Date:** Friday, February 05, 2010 3:16:43 PM

---

Nunami Stantec has been retained by CGS to assist with the completion of the outstanding information. We intend to travel to the community and address the deficiencies as soon as possible to allow the licencing process to proceed. Please do not hesitate to contact me should you have any questions. Thank you.

**Nick Lawson, B.Sc.**

Principal

Stantec

5021 - 49 Street PO Box 1680

Yellowknife NT X1A 2N4

Ph: (867) 920-2216

Fx: (867) 920-2278

Cell: (867) 444-0345

[nick.lawson@stantec.com](mailto:nick.lawson@stantec.com)

[stantec.com](http://stantec.com)

The content of this email is the confidential property of Stantec and should not be copied, modified, retransmitted, or used for any purpose except with Stantec's written authorization. If you are not the intended recipient, please delete all copies and notify us immediately.



Please consider the environment before printing this email.

---

**From:** Phyllis Beaulieu [<mailto:licensing@nunavutwaterboard.org>]  
**Sent:** Wednesday, February 03, 2010 11:16 AM  
**To:** Wayne Thistle; [sdhavale@gov.nu.ca](mailto:sdhavale@gov.nu.ca); Lawson, Nick; Hamlet of Chesterfield Inlet  
**Cc:** Steve Lines; Roy Green  
**Subject:** 3BM-CHE0308 Urgent Response Required  
**Importance:** High

Good morning – The Nunavut Water Board respectfully requests an urgent response to the attached letter which has been forwarded to your attention on several occasions.

Regards,

Phyllis Beaulieu

Manager of Licensing

Nunavut Water Board

P.O. Box 119

Gjoa Haven, NU X0B 1J0

Phone: (867) 360-6338, Ext. 26

Fax: (867) 360-6369

Email: [licensing@nunavutwaterboard.org](mailto:licensing@nunavutwaterboard.org)