



P.O. Box 119  
GJDA HAVEN, NT XOE 1J0  
TEL: (867) 360-6338  
FAX: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᑎᓕᓂᓪ  
NUNAVUT WATER BOARD  
NUNAVUT IMALIRIYIN KATIMAYINGI

---

November 27, 1998

File No.: N6L4-1538

Mr. Paul Sammurtok  
Senior Administrative Office  
Hamlet of Chesterfield Inlet  
P.O. Box 10  
Chesterfield Inlet, NT  
X0C 0B0

Dear Mr. Sammurtok,

Re: Water licence renewal.

Please be advised that this office has yet to received the necessary information to process your water licence application submission for renewal of the Municipality of Chesterfield Inlet. You had previously indicated that MACA and the Department of Health at Rankin Inlet would completed the incompleted questionnaire, and that the representatives from each department would then forward the questionnaire to our office. We also require a \$30.00 chequc, payable to Receiver General for Canada to cover the application fee, and an Executive summary of your submission in English and Inuktitut before we can process your application. Don't hesitate to contact this office for assistance.

Please inform this office as to when you expect this information to be completed.

Sincerely,

David Porter  
Licence Administrator