



P.O. Box 119
GJOA HAVEN, NT X0E 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

NUNAVUT WATER BOARD
NUNAVUT IMALIRIYIN KATIMAYINGI

Fax

IMPORTANT – CONFIDENTIAL INFORMATION

This message is intended only for the use of the individual or entity to which it is addressed, and may contain information that is privileged, confidential, and exempt from disclosure under applicable law. Any other distribution, copying or disclosure is strictly prohibited. If you have received this message in error, please notify us immediately by telephone and destroy the original transmission without making a copy.

To: Authur Osborne, SAO Chesterfield Inlet

Fax: 867-898-9108

Pages: 2, including cover

Date: July 17, 2001

Dear Mr. Osborne,

As follow-up to your request on July 15, 2001 for a copy of your water licence for the Hamlet of Chesterfield Inlet, I must inform you that the Hamlet at present does not hold a valid water licence (N6L4-1568 expired on July 31, 1998).

An application (available upon request) was filed on Aug 28, 1998 however it was determined that it was incomplete. Further correspondence was sent to your predecessor on November 17, 1999 (see attached). To date all outstanding items listed in the November 17, 1999 correspondence remain outstanding.

I would propose that you review your files to determine if you if you require back-up documentation. If you require copies of the information or have questions with respect to outstanding information or the regulatory process please contact Rita Becker, Licence Administrator at the numbers above or via email at rbecker@polarnet.ca Please note: Rita is out of the office until July 26, 2001.

Sincerely,

Dionne Filiatrault

From the desk of...
Dionne Filiatrault
Technical Advisor
Nunavut Water Board