Phyllis Beaulieu
Manger of Licensing
Nunavut Water Board
P.O. Box 119, Gjoa Haven, XOB 1JO
Phone (867) 360 6338 Ext. 27 Fax (867) 360-6369
Email: phyllis.beaulieu@nwb-oen.ca

Date: March

RE: Water Licence 3BM-CHE1013 Hamlet of Chester field Inlet Annual Report.

Good Morning Phyllis,

Please find attached the annual report for the above mentioned license, you will also find attachments with respect to sample results as well as any other related information pertaining to license requirements.

Please contact me should you have any questions, comments, or concerns.

Thanks

Senior Administrative Officer,

Hamlet of Chester field Inlet, Nu

Tel: 867 898 9926

Fax: 867 898 9108

ANNUAL REPORT FOR THE HAMLET OF CHESTERFIELD INLET, 2013

YEAR BEING REPORTED: 2013

The following information is compiled pursuant to the requirements of Part B, Item 1 of Water License # 3BM-CHE 1013 issued to the Hamlet of Chesterfield Inlet.

 i) - iii) tabular summaries of all data generated under the "Monitoring Program"; monthly and annual quantities in cubic metres of freshwater obtained from all sources; monthly and annual quantities in cubic metres of each and all wastes discharged;

Attached are quantities of water used as reported in our On Tap Water Delivery System and the estimated discharge of sewage waste based on quantities used.

Month Reported Quantity of Wat Obtained from a sources (litres		Quantity of Sewag Waste Discharged (Estimated)				
January 2013	1,020,989.06	Same				
February 2013	1,131,791.80	Same				
March 2013	1,276,719.80	Same				
April 2013	1,116,062.20	Same				
May 2013	1,243,267,70	Same				
June 2013	1,249,406.60	Same				
July 2013	1,335,780.40	Same				
August 2013	1,381,986.30	Same				
September 2013	1,268,834.70	Same				
October 2013	1,334,675.60	Same				
November 2013	1,093,957.80	Same				
December 2013	1,295,206.00	Same				
ANNUAL TOTAL	13,505,410.26	13,505,410.26				

Note: There is no meter existing at the discharge pipe. Therefore the monthly Sewage discharge volume is considered as equal to the monthly water consumption volume.

ANNUAL REPORT FOR THE HAMLET OF CHESTERFIELD INLET, 2013

iv.	a summary of modifications and/or major maintenance work carried out on the Water Supply and Waste Disposal Facilities, including all associated structures and facilities;
	No modification and /or major maintenance work carried out in 2013.
	f full and a section taken:
v	a list of unauthorized discharges and summary of follow-up action taken;
	Spills: 2013206, 2013-06-04, Unit 85, fuel oil, 48L
vi.	a summary of any abandonment and restoration work completed during the year and an outline of any work anticipated for the next year;
_	No abandonment and restoration work was planned in 2014 and no anticipation in 2015.
vii.	a summary of any studies requested by the Board that relate to waste disposal, water use or reclamation, and a brief description of any future studies planned;
•	 Arktis Solutions Inc. recently completed feasibility study across Nunavut including Coral Harbour waste management facility. They recommended new guidelines. CGS is planning to implement these new standards and criteria in Coral Harbour future waste management facility. CGS has retained William Engineering Ltd to conduct bathymetric surveys in the existing water source and in the proposed secondary source. This project is scheduled to be completed in 2014.
viii.	any other details on water use or waste disposal requested by the Board by November 1st of the year being reported; and Record water volume extracted Record raw sewage pumped out Monitor sewage lagoon effluent quality at the final point of discharge Monitor leachate quality of the runoff from the solid waste facility
ix.	updates or revisions to the approved Operation and Maintenance Plans.

ANNUAL REPORT FOR THE HAMLET OF CHESTERFIELD INLET, 2013

No update of O&M documents for water and waste facilities were done in 2013.

ADDITIONAL INFORMATION THAT THE LICENSEE DEEMS USEFUL:

The Licensee will start extended sampling and testing program for water, wastewater and leachate samples from 2013 to satisfy the monitoring program Part H of the water License.

FOLLOW-UP REGARDING INSPECTION/COMPLIANCE CONCERNS:

The Licensee is working closely with CGS to satisfy the requirements of the Water License and the demand of the AANDC inspector.

• The Lab Test Results for 2013





Hamlet of Chesterfield Inlet ATTN: ELWOOD JOHNSTON

PO Box 10

Chesterfield Inlet NU X0C 0B0

Date Received: 25-JUN-12

Report Date:

25-JUL-12 11:39 (MT)

Version:

FINAL

Client Phone: 867-898-9926

Certificate of Analysis

Lab Work Order #: L1167505

Project P.O. #:

NOT SUBMITTED

Job Reference:

CHESTERFIELD INLET MONITORING PROGRAM

C of C Numbers: Legal Site Desc:

Paul Necolos

Paul Nicolas Account Manager

[This report shall not be reproduced except in full without the written authority of the Laboratory.]

ADDRESS: 1329 Niakwa Road East, Unit 12, Winnipeg, MB R2J 3T4 Canada | Phone: +1 204 255 9720 | Fax: +1 204 255 9721 ALS CANADA LTD Part of the ALS Group A Campbell Brothers Limited Company

ODT

mple Details/Parameters	Result	Qualifier*	D.L.	Units	Extracted	Analyzed	Batch
167505-1 CHESTERFIELD INLET -2							
)·05						
•	,,,,,						
atrix: WASTEWATER Miscellaneous Parameters							
	13.6	DLA	1.0	mg/L		09-JUL-12	R2394651
Ammonia, Total (as N)	10.2		6.0	mg/L	27-JUN-12	02-JUL-12	R2391233
Biochemical Oxygen Demand	8.4		6.0	mg/L	27-JUN-12	02-JUL-12	R2391232
BOD Carbonaceous	9300			MPN/100mL		29-JUN-12	R2391018
Fecal Coliforms	<2.0		2.0	mg/L	27-JUN-12	27-JUN-12	R2390276
Oil and Grease, Total			0.0010	mg/L	03-JUL-12	03-JUL-12	R2392373
Phenols (4AAP)	0.0020		0.010	mg/L	00000	29-JUN-12	R2390202
Phosphorus (P)-Total	2.20			mg/L	05-JUL-12	05-JUL-12	R2393620
Total Organic Carbon	27.6		1.0	_	05-501-12	28-JUN-12	R2392806
Total Suspended Solids	21.0	1	5.0	mg/L		20-0011 12	112002000
outine Soluble + Metal scan							
Alkalinity	106		20	mg/L		26-JUN-12	R2389717
Alkalinity, Total (as CaCO3)	129		24	mg/L		26-JUN-12	R2389717
Bicarbonate (HCO3)	<12		12	mg/L		26-JUN-12	R2389717
Carbonate (CO3)	<6.8		6.8	mg/L		26-JUN-12	R2389717
Hydroxide (OH) Chloride by Ion Chromatography				- 4			
Chloride by ion Chromatography Chloride	48.1		0.50	mg/L		26-JUN-12	R2390269
Conductivity Conductivity	571		20	umhos/cm		26-JUN-12	R2389717
Hardness Calculated	170		0.30	mg/L		14-JUL-12	
Hardness (as CaCO3)	170						
Nitrate as N by Ion Chromatography Nitrate-N	<0.050		0.050	mg/L		26-JUN-12	R2390269
Nitrate+Nitrite Nitrate and Nitrite as N	<0.071		0.071	mg/L		25-JUN-12	
Nitrite as N by Ion Chromatography Nitrite-N	<0.050		0.050	mg/L		26-JUN-12	R2390269
Sulfate by Ion Chromatography	91.5		0.50	mg/L		26-JUN-12	R2390269
Sulfate	91.5		0.00				
TDS calculated TDS (Calculated)	321		5.0	mg/L		14-JUL-12	
Total Metals by ICP-MS					27 HIN 12	27-JUN-12	R2389525
Aluminum (AI)-Total	0.039		0.020	mg/L	27-JUN-12 27-JUN-12	27-JUN-12	R2389525
Antimony (Sb)-Total	0.0047		0.0010	mg/L	27-JUN-12	27-JUN-12	R2389525
Arsenic (As)-Total	<0.0010		0.0010	mg/L	27-JUN-12	27-JUN-12	R2389525
Barium (Ba)-Total	0.00879		0.00050	mg/L	27-JUN-12	27-JUN-12	R2389525
Beryllium (Be)-Total	<0.0010		0.0010	mg/L mg/L	27-JUN-12	27-JUN-12	R2389525
Bismuth (Bi)-Total	<0.00050			mg/L	27-JUN-12	27-JUN-12	R2389525
Boron (B)-Total	0.260		0.030	mg/L	27-JUN-12	27-JUN-12	R2389525
Cadmium (Cd)-Total	<0.00020			mg/L	27-JUN-12	27-JUN-12	R2389525
Calcium (Ca)-Total	53.4		0.20	mg/L	27-JUN-12	27-JUN-12	R2389525
Cesium (Cs)-Total	<0.00050		0.00030	mg/L	27-JUN-12	27-JUN-12	R2389525
Chromium (Cr)-Total	0.0031			mg/L	27-JUN-12	27-JUN-12	R238952
Cobalt (Co)-Total	0.00113		0.00050	mg/L	27-JUN-12	27-JUN-12	R238952
Copper (Cu)-Total	0.0116		0.0020	mg/L	27-JUN-12	27-JUN-12	R2389525
Iron (Fe)-Total	3.13		0.0010	mg/L	27-JUN-12	27-JUN-12	R238952
Lead (Pb)-Total	<0.0010		0.0010	mg/L	27-JUN-12	27-JUN-12	R238952
Lithium (Li)-Total	0.0081			mg/L	27-JUN-12	27-JUN-12	R238952
Magnesium (Mg)-Total	8.92		0.050	mg/L	27-JUN-12		R238952
Manganese (Mn)-Total	0.235		0.0010	mg/L	27-JUN-12	27-JUN-12	R238952
Molybdenum (Mo)-Total	0.00079		0.00050	mg/L	21-0014-12	2. 00.11.12	

L1167505 CONTD.... PAGE 3 of 8 Version: FINAL

ample Detalls/Parameters	Result	Qualifier*	D.L.	Units	Extracted	Analyzed	Batch
I167505-1 CHESTERFIELD INLET -2	•				_	=	
ampled By: JOHNNY / AMROTH on 22-JUN-12 @ 10):05		l				
atrix: WASTEWATER					ĺ		
Total Metals by ICP-MS							
Nickel (Ni)-Total	0.0035		0.0020	mg/L	27-JUN-12	27-JUN-12	R2389525
Phosphorus (P)-Total	2.74		0.50	mg/L	27-JUN-12	27-JUN-12	R2389525
Potassium (K)-Total	14.7		0.10	mg/L	27-JUN-12	27-JUN-12	R2389525 R2389525
Rubidium (Rb)-Total	0.00935		0.00050	mg/L	27-JUN-12 27-JUN-12	27-JUN-12 27-JUN-12	R2389525
Selenium (Se)-Total	<0.0050		0.0050	mg/L mg/L	27-JUN-12 27-JUN-12	27-JUN-12 27-JUN-12	R2389525
Silicon (Si)-Total	1.43		0.30 0.0010	mg/L	27-JUN-12	27-JUN-12	R2389525
Silver (Ag)-Total	<0.0010 40.6		0.050	mg/L	27-JUN-12	27-JUN-12	R2389525
Sodium (Na)-Total	0.282		0.00050	mg/L	27-JUN-12	27-JUN-12	R2389525
Strontium (Sr)-Total Tellurium (Te)-Total	<0.0010		0.0010	mg/L	27-JUN-12	27-JUN-12	R2389525
Thallium (TI)-Total	<0.0050		0.0050	mg/L	27-JUN-12	27-JUN-12	R2389525
Thorium (Th)-Total	<0.0010		0.0010	mg/L	27-JUN-12	27-JUN-12	R2389525
Tin (Sn)-Total	<0.00060		0.00060	mg/L	27-JUN-12	27-JUN-12	R2389525
Titanium (Ti)-Total	0.0021		0.0010	mg/L	27-JUN-12	27-JUN-12	R2389525
Tungsten (W)-Total	<0.0020		0.0020	mg/L	27-JUN-12	27-JUN-12	R2389525
Uranium (U)-Total	0.00637		0.00050	mg/L	27-JUN-12	27-JUN-12	R2389525 R2389525
Vanadium (V)-Total	<0.0020		0.0020	mg/L	27-JUN-12	27-JUN-12 27-JUN-12	R2389525
Zinc (Zn)-Total	<0.020	1	0.020	mg/L	27-JUN-12 27-JUN-12	27-JUN-12 27-JUN-12	R2389525
Zirconium (Zr)-Total	<0.0010		0.0010	mg/L	27-3014-12	27-3014-12	112303323
рН рН	7.21		0.10	pH units		26-JUN-12	R2389717
1167505-2 CHESTERFIELD INLET -3							
ampled By: JOHNNY / AMROTH on 22-JUN-12 @ 1	ψ:35 						
latrix: WASTEWATER							
Miscellaneous Parameters	100	DLA	10	mg/L		09-JUL-12	R2395252
Ammonia, Total (as N)			20	mg/L	27-JUN-12	02-JUL-12	R2391233
Biochemical Oxygen Demand	298		20	mg/L	27-JUN-12	02-JUL-12	R2391232
BOD Carbonaceous	82		3	MPN/100mL	1	29-JUN-12	R2391018
Fecal Coliforms	>110000		2.0	mg/L	27-JUN-12	27-JUN-12	R2390276
Oil and Grease, Total	12.9		0.0010	mg/L	03-JUL-12	03-JUL-12	R2392373
Phenols (4AAP)	0.300		1.0	mg/L	05-JUL-12	05-JUL-12	R2393620
Total Organic Carbon	158		5.0	mg/L	00 002 12	28-JUN-12	R2392806
Total Suspended Solids	132		3.0	ille, L			,
loutine Soluble + Metal scan							
Alkalinity Alkalinity, Total (as CaCO3)	387		20	mg/L		26-JUN-12	R2389717
Bicarbonate (HCO3)	473		24	mg/L		26-JUN-12	R2389717
Carbonate (CO3)	<12		12	mg/L		26-JUN-12	R2389717
Hydroxide (OH)	<6.8		6.8	mg/L		26-JUN-12	R2389717
Chloride by Ion Chromatography Chloride	77.3		0.50	mg/L		26-JUN-12	R2390269
Conductivity			20	umhos/cm		26-JUN-12	R2389717
Conductivity Hardness Calculated	1160						
Hardness (as CaCO3)	73.5		0.30	mg/L		28-JUN-12	
Nitrate as N by Ion Chromatography Nitrate-N	<0.050		0.050	mg/L		26-JUN-12	R2390269
Nitrate+Nitrite Nitrate and Nitrite as N	<0.071		0.071	mg/L		25-JUN-12	
Nitrite as N by Ion Chromatography Nitrite-N	<0.050		0.050	mg/L		26-JUN-12	R2390269

Version: FINAL

ample Details/Parameters	Result	Qualifier*	D.L.	Units	Extracted	Analyzed	Batch
167505-2 CHESTERFIELD INLET -3							
ampled By: JOHNNY / AMROTH on 22-JUN-12 @ 10	:35						
latrix: WASTEWATER							
Sulfate by Ion Chromatography Sulfate	21.9		0.50	mg/L		26-JUN-12	R2390269
TDS calculated TDS (Calculated)	469		5.0	mg/L	34	29-JUN-12	
Total Metals by ICP-MS Aluminum (AI)-Total	1.71		0.020	mg/L	27-JUN-12	27-JUN-12	R2389525
Antimony (Sb)-Total	0.0021		0.0010	mg/L	27-JUN-12	27-JUN-12	R2389525
Arsenic (As)-Total	<0.0010		0.0010	mg/L	27-JUN-12	27-JUN-12	R2389525
Barium (Ba)-Total	0.0153		0.00050	mg/L	27-JUN-12	27-JUN-12	R2389525
Beryllium (Be)-Total	<0.0010		0.0010	mg/L	27-JUN-12	27-JUN-12	R2389525
Bismuth (Bi)-Total	0.00110		0.00050	mg/L	27-JUN-12	27-JUN-12	R2389525
Boron (B)-Total	0.406		0.030	mg/L	27-JUN-12	27-JUN-12	R2389525
	0.00034		0.00020	mg/L	27-JUN-12	27-JUN-12	R2389525
Cadmium (Cd)-Total Calcium (Ca)-Total	18.5		0.20	mg/L	27-JUN-12	27-JUN-12	R2389525
Cesium (Cs)-Total	<0.00050		0.00050	mg/L	27-JUN-12	27-JUN-12	R2389525
, ,	0.0050		0.0020	mg/L	27-JUN-12	27-JUN-12	R2389525
Chromium (Cr)-Total	0.00136		0.00050	mg/L	27-JUN-12	27-JUN-12	R2389525
Cobalt (Co)-Total	0.149		0.0020	mg/L	27-JUN-12	27-JUN-12	R2389525
Copper (Cu)-Total	2.57		0.10	mg/L	27-JUN-12	27-JUN-12	R2389525
Iron (Fe)-Total	0.0029		0.0010	mg/L	27-JUN-12	27-JUN-12	R2389525
Lead (Pb)-Total	0.0025	1	0.0020	mg/L	27-JUN-12	27-JUN-12	R2389525
Lithium (Li)-Total	6.66		0.050	mg/L	27-JUN-12	27-JUN-12	R2389525
Magnesium (Mg)-Total	0.0914		0.0010	mg/L	27-JUN-12	27-JUN-12	R2389525
Manganese (Mn)-Total	0.00173		0.00050	mg/L	27-JUN-12	27-JUN-12	R2389525
Molybdenum (Mo)-Total	0.00173		0.0020	mg/L	27-JUN-12	27-JUN-12	R2389525
Nickel (Ni)-Total	17.6		0.50	mg/L	27-JUN-12	27-JUN-12	R2389525
Phosphorus (P)-Total	34.4		0.10	mg/L	27-JUN-12	27-JUN-12	R2389525
Potassium (K)-Total	0.0310		0.00050	mg/L	27-JUN-12	27-JUN-12	R2389525
Rubidium (Rb)-Total	<0.0050		0.0050	mg/L	27-JUN-12	27-JUN-12	R2389525
Selenium (Se)-Total	4.54		0.30	mg/L	27-JUN-12	27-JUN-12	R2389525
Silicon (Si)-Total	<0.0010		0.0010	mg/L	27-JUN-12	27-JUN-12	R2389525
Silver (Ag)-Total	77.5		0.050	mg/L	27-JUN-12	27-JUN-12	R2389525
Sodium (Na)-Total	0.0529		0.00050	mg/L	27-JUN-12	27-JUN-12	R2389525
Strontium (Sr)-Total	<0.0010		0.0010	mg/L	27-JUN-12	27-JUN-12	R2389525
Tellurium (Te)-Total	<0.0010		0.0050	mg/L	27-JUN-12	27-JUN-12	R2389525
Thallium (TI)-Total	<0.0030		0.0010	mg/L	27-JUN-12	27-JUN-12	R2389525
Thorium (Th)-Total	0.00377		0.00060	mg/L	27-JUN-12	27-JUN-12	R2389525
Tin (Sn)-Total	0.00377		0.0010	mg/L	27-JUN-12	27-JUN-12	R2389525
Titanium (Ti)-Total	<0.0020		0.0020	mg/L	27-JUN-12	27-JUN-12	R2389525
Tungsten (W)-Total	0.00179		0.00050	mg/L	27-JUN-12	27-JUN-12	R2389525
Uranium (U)-Total	<0.0020		0.0020	mg/L	27-JUN-12	27-JUN-12	R2389525
Vanadium (V)-Total	0.251		0.020	mg/L	27-JUN-12	27-JUN-12	R2389525
Zinc (Zn)-Total	0.0059		0.020	mg/L	27-JUN-12	27-JUN-12	R2389525
Zirconium (Zr)-Total	0.0059		3.0010	9/ =	1		
pH	7.49		0.10	pH units		26-JUN-12	R2389717
рН	1.45	-	0.10	F			
1167505-3 CHESTERFIELD INLET -4							
ampled By: JOHNNY / AMROTH on 22-JUN-12 @ 1	10:20				1		
latrix: WASTEWATER							
Miscellaneous Parameters						05 "" 15	D0000440
Ammonia, Total (as N)	0.495		0.010	mg/L		05-JUL-12	R2393416
Biochemical Oxygen Demand	<6.0		6.0	mg/L	27-JUN-12	02-JUL-12	R2391233
BOD Carbonaceous	<6.0		6.0	mg/L	27-JUN-12	02-JUL-12	R2391232
DOD Calbulaceous	1		1				

PAGE 5 of 8 Version: FINAL

mple Details/Parameters	Result	Qualifier*	D.L.	Units	Extracted	Analyzed	Batch
				2 7			
167505-3 CHESTERFIELD INLET -4	1.30						
mpled By: JOHNNY / AMROTH on 22-JUN-12 @ 10	5.20						
trix: WASTEWATER			3	MPN/100mL	İ	29-JUN-12	R2391018
Fecal Coliforms	<3		2.0	mg/L	27-JUN-12	27-JUN-12	R2390276
Oil and Grease, Total	<2.0		0.0010	mg/L	03-JUL-12	03-JUL-12	R2392373
Phenols (4AAP)	<0.0010				00-001 12	29-JUN-12	R2390202
Phosphorus (P)-Total	0.023		0.010	mg/L	05-JUL-12	05-JUL-12	R2393620
Total Organic Carbon	24.7		1.0	mg/L	03-30E-12	28-JUN-12	R2392806
Total Suspended Solids	<5.0		5.0	mg/L		20-3014-12	112002000
outine Soluble + Metal scan							
Alkalinity	62		20	mg/L		26-JUN-12	R2389717
Alkalinity, Total (as CaCO3)	76		24	mg/L		26-JUN-12	R2389717
Bicarbonate (HCO3)	<12		12	mg/L		26-JUN-12	R2389717
Carbonate (CO3)	<6.8		6.8	mg/L		26-JUN-12	R2389717
Hydroxide (OH)	10.0						
Chloride by Ion Chromatography Chloride	37.0		0.50	mg/L		26-JUN-12	R2390269
Conductivity						26-JUN-12	R2389717
Conductivity	267		20	umhos/cm		20-3014-12	N2303111
Hardness Calculated			0.30	mg/L		28-JUN-12	
Hardness (as CaCO3)	50.8		0.30	IIIg/L		2000111	
Nitrate as N by Ion Chromatography Nitrate-N	0.587		0.050	mg/L		26-JUN-12	R2390269
Nitrate+Nitrite Nitrate and Nitrite as N	0.587		0.071	mg/L		25-JUN-12	
Nitrite as N by Ion Chromatography						00 11 151 40	Dagongeo
Nitrite-N	<0.050		0.050	mg/L		26-JUN-12	R2390269
Sulfate by Ion Chromatography			0.50			26-JUN-12	R2390269
Sulfate	12.3		0.50	mg/L		20-0011 12	1,2000200
TDS calculated	144		5.0	mg/L		29-JUN-12	
TDS (Calculated)	144		5.0	ling/c			
Total Metals by ICP-MS	0.021		0.020	mg/L	27-JUN-12	27-JUN-12	R2389525
Aluminum (Al)-Total	<0.0010		0.0010	mg/L	27-JUN-12	27-JUN-12	R2389525
Antimony (Sb)-Total	<0.0010		0.0010	mg/L	27-JUN-12	27-JUN-12	R2389525
Arsenic (As)-Total	0.00586		0.00050	mg/L	27-JUN-12	27-JUN-12	R2389525
Barium (Ba)-Total	<0.0010		0.0010	mg/L	27-JUN-12	27-JUN-12	R2389525
Beryllium (Be)-Total Bismuth (Bi)-Total	<0.00050		0.00050	mg/L	27-JUN-12	27-JUN-12	R2389525
Boron (B)-Total	0.168		0.030	mg/L	27-JUN-12	27-JUN-12	R2389525
Cadmium (Cd)-Total	<0.00020		0.00020		27-JUN-12	27-JUN-12	R2389525
Calcium (Ca)-Total	13.1		0.20	mg/L	27-JUN-12	27-JUN-12	R2389525
Cesium (Cs)-Total	<0.00050		0.00050		27-JUN-12	27-JUN-12	R2389525
Chromium (Cr)-Total	<0.0020		0.0020	mg/L	27-JUN-12	27-JUN-12 27-JUN-12	R2389525
Cobalt (Co)-Total	<0.00050		0.00050		27-JUN-12	27-JUN-12	R2389525
Copper (Cu)-Total	0.0053		0.0020	mg/L	27-JUN-12 27-JUN-12	27-JUN-12	R2389525
Iron (Fe)-Total	0.13		0.10	mg/L	27-JUN-12		R2389525
Lead (Pb)-Total	<0.0010		0.0010	mg/L	27-JUN-12		R238952
Lithium (Li)-Total	0.0072		0.0020	mg/L mg/L	27-JUN-12		R238952
Magnesium (Mg)-Total	4.42		0.0010	mg/L	27-JUN-12		R238952
Manganese (Mn)-Total	<0.0010		0.0010	1 1	27-JUN-12		R238952
Molybdenum (Mo)-Total	0.00067		0.00030		27-JUN-12		R238952
Nickel (Ni)-Total	0.0029		0.0020	mg/L	27-JUN-12		R238952
Phosphorus (P)-Total	<0.50		0.50	mg/L	27-JUN-12		1
Potassium (K)-Total	7.90		0.00050		27-JUN-12		1
Rubidium (Rb)-Total	0.00576		0.0000				

PAGE 6 of 8 Version: FINAL

ample Details/Parameters	Result	Qualifier*	D.L.	Units	Extracted	Analyzed	Batch
167505-3 CHESTERFIELD INLET -4 ampled By: JOHNNY / AMROTH on 22-JUN-12 @ 10):20						
atrix: WASTEWATER							
Total Metals by ICP-MS							
Selenium (Se)-Total	<0.0050		0.0050	mg/L	27-JUN-12	27-JUN-12	R2389525
Silicon (Si)-Total	<0.30		0.30	mg/L	27-JUN-12	27-JUN-12	R2389525
Silver (Ag)-Total	<0.0010		0.0010	mg/L	27-JUN-12 27-JUN-12	27-JUN-12 27-JUN-12	R2389525 R2389525
Sodium (Na)-Total	32.3		0.050 0.00050	mg/L mg/L	27-JUN-12	27-JUN-12	R2389525
Strontium (Sr)-Total	0.0634 <0.0010		0.00030	mg/L	27-JUN-12	27-JUN-12	R2389525
Tellurium (Te)-Total Thallium (Ti)-Total	<0.0010		0.0050	mg/L	27-JUN-12	27-JUN-12	R2389525
Thorium (Th)-Total	<0.0010		0.0010	mg/L	27-JUN-12	27-JUN-12	R2389525
Tin (Sn)-Total	<0.00060		0.00060	mg/L	27-JUN-12	27-JUN-12	R2389525
Titanium (Ti)-Total	<0.0010		0.0010	mg/L	27-JUN-12	27-JUN-12	R2389525
Tungsten (W)-Total	<0.0020		0.0020	mg/L	27-JUN-12 27-JUN-12	27-JUN-12 27-JUN-12	R2389525 R2389525
Uranium (U)-Total	0.00067		0.00050	mg/L mg/L	27-JUN-12	27-JUN-12	R2389525
Vanadium (V)-Total	<0.0020 <0.020		0.0020 0.020	mg/L	27-JUN-12	27-JUN-12	R2389525
Zinc (Zn)-Total	<0.020		0.020	mg/L	27-JUN-12	27-JUN-12	R2389525
Zirconium (Zr)-Total	40.0010		0.00.0				
pH pH	7.44		0.10	pH units		26-JUN-12	R2389717

L1167505 CONTD....

PAGE 7 of 8 Version: FiNAL

Reference Information

ample Parameter Qualifier Key:

Qualifier Description

Detection Limit Adjusted For required dilution DLA

Matrix Spike recovery could not be accurately calculated due to high analyte background in sample.

est Method References:

Method Reference** **Test Description ALS Test Code** Matrix

APHA 2320B Alkalinity Water ALK-TOT-WP

Alkalinity of water is a measure of its acid neutralizing capacity. Alkalinity is imparted by bicarbonate, carbonate and hydroxide components of water. It is determined by titration with a standard solution of strong mineral acid to the successive HCO3- and H2CO3 endpoints indicated electrometrically.

BOD-CBOD-WP

Water

Carbonaceous BOD

APHA 5210 B-5 day Incub.-O2 electrode

A sample of water is incubated for 5 days at 20 degrees Celcius. Comparison of dissolved oxygen content at beginning and end of incubation provides a measure of Biochemical oxygen demand. If carbonaceous BOD is requested, TCMP is added to the sample to chemically inhibit nitrogenous oxygen demand. If soluble BOD is requested, the sample is filtered prior to analysis.

MS-B

Biochemical Oxygen Demand (BOD)

APHA 5210 B

The sample is incubated for 5 days at 20 degrees Celcius. Comparison of dissolved oxygen content at the beginning and end of incubation provides a measure of biochemical oxygen demand. If carbonaceous BOD is requested, TCMP is added to the sample to chemically inhibit nitrogenous oxygen demand. If soluble BOD is requested, the sample is filtered prior to analysis. Surface waters have a DL of 1 mg/L. Effluents are diluted according to their history and will have a sample DL of 6 mg/L or greater, depending on the dilutions used.

CL-IC-WP

Chloride by Ion Chromatography

EPA 300.1 (modified)

Anions in aqueous matrices are analyzed using ion chromatography with conductivity and/or UV absorbance detectors.

EC-WP

Water

Conductivity

APHA 2510B

Conductivity of an aqueous solution refers to its ability to carry an electric current. Conductance of a solution is measured between two spatially fixed and chemically inert electrodes.

ETL-HARDNESS-TOT-WP Water

Hardness Calculated

HARDNESS CALCULATED

ETL-SOLIDS-CALC-WP

Water

TDS calculated

CALCULATION

FC-MPN-WP

Water

Fecal Coliform

APHA 9221A-C

The Most Probable Number (MPN) method is based on the Multiple Tube Fermentation technique. The results of examination of replicate tubes and dilutions of a sample are reported after confirmations specific to total coliform, fecal coliform and E. coli are performed. Results are reported in and MPN/gram for food and solid samples. MPN/100 mL for water

IONBALANCE-OP05-WP Water

Ion Balance Calculation No Reporting

APHA 1030E

MET-T-MS-WP

Water

Total Metals by ICP-MS

U.S. EPA 200.8-T

Total Metals by ICP-MS: This analysis is carried out using sample preparation procedures adapted from Standard Methods for the examination of Water and Wastewater Method 3030E and analytical procedures adapted from U.S EPA Method 200.8 for analysis of metals by inductively coupled-mass spectrometery.

NH3-COL-WP

Water

Ammonia by colour

APHA 4500 NH3 F

Ammonia in water samples forms indophenol when reacted with hypochlorite and phenol. The intensity is amplified by the addition of sodium nitroprusside and measured colourmetrically.

NO2+NO3-CALC-WP

Water

Nitrate+Nitrite

CALCULATION

NO2-IC-WP

Water

Nitrite as N by Ion Chromatography

EPA 300.1 (modified)

Anions in aqueous matrices are analyzed using ion chromatography with conductivity and/or UV absorbance detectors.

NO3-IC-WP

Water

Nitrate as N by Ion Chromatography

EPA 300.1 (modified)

Anions in aqueous matrices are analyzed using ion chromatography with conductivity and/or UV absorbance detectors.

OGG-TOT-WT

Water

Oil and Grease, Total

APHA 5520 B

Sample is extracted with hexane, extract is then evaporated and the residue is weighed to determine total oil and grease.

P-T-COL-WP

Water

Phosphorus, Totai

APHA 4500 P PHOSPHORUS

L1167505 CONTD....

PAGE 8 of 8 Version: FINAL

Reference Information

est Method References:

ALS Test Code

Matrix

Test Description

Method Reference**

This analysis is carried out using procedures adapted from APHA Method 4500-P "Phosphorus". Total Phosphorous is determined colourimetrically after persulphate digestion of the sample.

Water

APHA 4500H

The pH of a sample is the determination of the activity of the hydrogen ions by potentiometric measurement using a standard hydrogen electrode and a reference electrode.

PHENOLS-4AAP-WT

Water

Phenol (4AAP)

EPA 9066

An automated method is used to distill the sample. The distillate is then buffered to pH 9.4 which reacts with 4AAP and potassium ferricyanide to form a red complex which is measured colorimetrically.

SO4-IC-WP

Water

Sulfate by Ion Chromatography

EPA 300.1 (modified)

Anions in aqueous matrices are analyzed using ion chromatography with conductivity and/or UV absorbance detectors.

SOLIDS-TOTSUS-WP

Water

Total Suspended Solids

APHA 2540 D (modified)

Total suspended solids in aquesous matrices is determined gravimetrically after drying the residue at 103 105 C.

TOC-WT

Water

Total Organic Carbon

APHA 5310B

Sample is injected into a heated reaction chamber which is packed with an oxidative catalyst. The water is vaporized and the organic cabon is oxidized to carbon dioxide. The carbon dioxide is transported in a carrier gas and is measured by a non-dispersive infrared detector.

* ALS test methods may incorporate modifications from specified reference methods to improve performance.

The last two letters of the above test code(s) indicate the laboratory that performed analytical analysis for that test. Refer to the list below:

Laboratory Definition Code

Laboratory Location

WP

ALS ENVIRONMENTAL - WINNIPEG, MANITOBA, CANADA

WT

ALS ENVIRONMENTAL - WATERLOO, ONTARIO, CANADA

Chain of Custody Numbers:

SLOSSARY OF REPORT TERMS

Surrogates are compounds that are similar in behaviour to target analyte(s), but that do not normally occur in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery. In reports that display the D.L. column, laboratory bjectives for surrogates are listed there.

ng/kg - milligrams per kilogram based on dry weight of sample

ng/kg wwt - milligrams per kilogram based on wet weight of sample

ng/kg lwt - milligrams per kilogram based on lipid-adjusted weight

ng/L - unit of concentration based on volume, parts per million.

: - Less than.

Control of the contro

v/A - Result not available. Refer to qualifier code and definition for explanation.

rest results reported relate only to the samples as received by the laboratory. INLESS OTHERWISE STATED, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Analytical results in unsigned test reports with the DRAFT watermark are subject to change, pending final QC review.

Chain C

_1167505-COFC

ALS) Endironmental

5

F))

Number of Containers 00 00 0 O Emergency (1-2 Bus. Days) - 100% Surcharge - Contact ALS to Confirm TAT e Requested (Rush for routine analysis subject to availability) O Priority (2-4 Business Days) - 50% Surcharge - Contact ALS to Confirm TAT Please indicate below Filtered, Preserved or both (F. P. F/P) Same Day or Weekend Emergency - Contact ALS to Confirm TAT Special Instructions / Regulations with water or land use (CCME-Freshwater Aquatic Life/BC CSR - Commercial/AB Tier 1 - Natural, etc) / Hazardous Detalls Regular (Standard Turnaround Times - Business Days) Analysis Request 707 1 4 0 P 0 Q Q P 0 Koutine Becare wetwater Sample Type watewar E E Sampler: Amarou Chesterfield Inlet Monitoring Program 10:35 Digital 10.05 Time (bh:mm) 10:20 sao hamlet@qiniq.com mlusty@gov.nu.ca Cllent / Project Information 22/06/12 22/06/12 21/90/27 (dd-mmm-yy) Paul Nicolas Other D Excel Date Report Forn ALS Contact: ✓ Standard PO / AFE: Quote #: Email 1: Email 2: Email 3: Job #: N POF LSD: (This description will appear on the report) Fax: (867) 898-9108 Sample Identification 2 2 P.O. Box 10, Chesterfield Inlet, NU X0C 0B0 Fax: √ Yes Z Yes . Hamlet of Chesterfield Inlet rdcopy of Invoice with Report? Same as Report? Elwood Johnston (lab use only) (867) 898-9926 Lab Work Order # CHE-2 CHE-3 CHE-4 olce To Sample mbany: port To mpany: ntact: dress: dress: ntact: oue: one:

SHIPMENT VERIFICATION (lab.useronly) Also provided on another Excel tab are the ALS location addresses, phone numbers and sample container / preservation / holding time table for common analyses. By the use of this form the user acknowledges and agrees with the Terms and Conditions as provided on a separate Excel tab. Date: Fallure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY. Verified by: emperature: SHIPMENTERECEPTION (lab use only) absunce Date: Received by: SHIPMENT RELEASE (clentuse) Time (hh-mm) Date (46-mmn-yy) | Tun 622 | 2012

OhmyAmon

eleased by

GENF 20.00 Front

If Yes add SIF

Observations:

Yes / No ?