



P.O. BOX 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᓂᓕᓂᓪ
NUNAVUT WATER BOARD
NUNAVUT IMALIRIYIN KATIMAYINGI
OFFICE DES EAUX DU NUNAVUT

File: 3BM-CLY0909

January 21, 2010

Mr. Bhabesh Roy, M.A.Sc., P.Eng.
Municipal Planning Engineer
Community Government Services
Baffin Region, Government of Nunavut
P.O. Box 379
Pond Inlet, NU X0A 0S0
By Email: broy@gov.nu.ca

Mr. Bill Buckle
Interim Senior Administrative Officer
Hamlet of Clyde River
PO Box 89
Clyde River, NU X0A 0E0
E-mail: saoclyde2005@qinq.com

Subject: Plan for Compliance for Water Licence 3BM-CLY0909

Dear Mr. Roy and Mr. Buckle,

The Nunavut Water Board (NWB or Board) received an application for renewal of Water Licence 3BM-CLY0909 (Licence) from the Government of Nunavut Community Government Services (GN-CGS) on behalf of the Hamlet of Clyde River dated October 27, 2009 (Renewal Application). The Renewal Application included a Plan for Compliance in accordance with Part B Item 12 of the Licence.

In conducting its internal preliminary technical review the NWB found a number of deficiencies with the Plan for Compliance and noted that the Plan was required to be submitted to the Board for approval by April 18, 2009. Because the Plan was submitted as part of the Renewal Application and given the importance of the Plan to the renewal process, the Board determined that deficiencies in the Plan must be addressed before the Renewal Application could be determined to be complete.

On November 27, 2009 the NWB provided the results of its internal preliminary technical review to the GN-CGS and the Hamlet advising the following:

"The Board will not proceed with processing the Renewal Application until a satisfactory response to the above issues [deficiencies in the Plan for Compliance] is provided by the Licensee".¹

A response from GN-CGS was received by the NWB on December 9, 2009. The October 27 and December 9, 2009 Plan for Compliance submissions include the following:

- October 27, 2009 Plan for Compliance including the following:
 - Document entitled "Hamlet of Clyde River Water Licensed Facilities";
 - Appendix A – Construction Progress Report of Sewage Disposal Facility;

¹ Letter from David Hohnstein, NWB, to Bhabesh Roy, GN-CGS, and Bill Buckle, Hamlet of Clyde River Interim SAO, Subject: Renewal Application for Water Licence 3BM-CLY0909, dated November 27, 2009.

- Appendix B – Draft Operations and Maintenance Manual for the Wastewater Treatment Facility, Hamlet of Clyde River;
 - Appendix C – Ottawa Lab Instruction Sheets on BOD and TSS;
 - Appendix D – NT-NU Spill Report Form;
 - Appendix E – Government of Nunavut, Community Government & Transportation, Clyde River Solid Waste Facility Siting Study- Final Report, July 8, 2002, Submitted by Dillon Consulting Limited;
 - Appendix F - Terms of Reference of Trow Associates Inc. on Solid waste Management of the Hamlet of Clyde River;
 - Appendix G – Water Testing Log Sheet;
 - Appendix H – GN-DOE Water Disinfection Guidelines; and
 - Appendix I – GN-DOE Water Quality Management Guidelines.
- Document entitled “Responses to the questions of the Letter of NWB on Clyde River Water Licence dated November 27, 2009”, dated December 7, 2009.

All documents related to the Plan for Compliance can be obtained from our ftp site, using the username of “**public**” and the password of “**registry**”, without the quotes, at the following link or by contacting our office:

<ftp://nunavutwaterboard.org/1%20PRUC/3%20MUNICIPAL/3B/3BM%20-%20Municipality/3BM-CLY0909/1%20APPLICATION/2009%20Renewal/>

As the Plan for Compliance requires Board approval, the NWB is forwarding notice of the Licensee’s Plan, by way of copy of this letter, to interested parties with an invitation to review the Plan and submit comments directly to the NWB on or before **February 4, 2010.**

Should you have any questions please do not hesitate to contact me at your earliest convenience. If your questions are of a technical nature, please contact David Hohnstein at (780) 443-4406.

Yours truly,

Original signed by:

Richard Dwyer
Licensing Administrator

RD/tla

Cc: Qikiqtani Distribution List
R. Green, rgreen@gov.nu.ca