

## 3BM-CLY1419 Hamlet of Clyde River Water Licence Renewal Application

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Wed, Jun 26, 2019 at 3:22 PM

To: cao@clyderiver.ca, "Roy, Bhabesh" <br/>
Co: Licensing Department < licensing@nwb-oen.ca><br/>
Bcc: Distro Qikiqtani < distro-qikiqtani@nwb-oen.ca>

### Good afternoon,

The Nunavut Water Board ("NWB") acknowledges receipt on May 30, 2019 of your renewal water licence application, for the Hamlet of Clyde River. This application has been assigned file number 3BM-CLY1419. Please refer to this number on future submissions. Application documents received are as follows:

- 190530 3BM-CLY1419 Application Renewal Amendment
- 190530 3BM-CLY1419 Cover Letter
- 190530 3BM-CLY1419 Executive Summary English
- 190530 3BM-CLY1419 Executive Summary Inuktitut
- 190530 3BM-CLY1419 Hazardous Waste Segregation, Storage and Transportation, 2019
- 190530 3BM-CLY1419 Letter of Authorization
- 190530 3BM-CLY1419 NPC letter re 149071
- 190530 3BM-CLY1419 Plan for Compliance-Revised May 29 2019
- 190620 3BM-CLY1419 Application Inquiry Repsonse
- 190626 3BM-CLY1419 Stand alone Spill Response Plan

Please be advised that under the Agreement Between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in Right of Canada (Nunavut Agreement) Article 11, Section 11.5.9 and s. 76 (1) of Nunavut Planning and Project Assessment Act (NuPPAA), the proponent of a project governed by NuPPAA is also required to submit a project proposal document directly to the Nunavut Planning Commission (NPC or Commission) for the NPC's determination regarding the applicable land use planning requirements and/or directions regarding whether the project is subject to screening by the Nunavut Impact Review Board. In particular, please note that as established under Articles 11, 12 and 13 of the Nunavut Agreement, NuPPAA and Part 3 of the Nunavut Waters and Nunavut Surface Rights Tribunal Act, until the project has completed the applicable land use planning and assessment process required by the NPC and the NIRB, the NWB cannot issue a water licence/approval.

The NWB confirms receipt of NPC conformity under NuPPAA on April 26, 2019 and NIRB determination through NPC under NuPPAA on April 26, 2019. This application is now ready for review and comments. Deadline for submissions is **July 16, 2019.** 



# Richard Dwyer- へ<sup>c</sup>んっc コ る る くっc

Manager of Licensing - Responsable des Permis <PC Ω CΔ\C C σ<sup>56</sup>Δ<sup>c</sup>- Maniyauyuq Laisaliginigmun

## NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT DOSC DLCOSC BOLSTO-NUNAVUT IMALIRIYIN KATIMAYINGI

P.O. Box 119 Gjoa Haven, NU X0B 1J0 C.P. 119 Gjoa Haven, NU X0B 1J0

DB/ 803 , DQ9 C XOB 1JO Titigaqaqvia 119 Ughiighnig, NU, X0B 1J0

Tel / Téléphone / イペナン( / Hivayauta: (867) 360-6338 | Fax / Télécopieur / アレマック / Fax-kut: (867) 360-6369 Toll Free / Sans / <\P56\CO56 / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

### 2 attachments



190626 3BM-CLY1419 Renewal Application Dist-OMLE.pdf



190626 3BM-CLY1419 Renewal Notice-OMLE.pdf 455K