



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
Fax: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᑎᓕᓪᓴᓯ
NUNAVUT IMALIRIYIN KATIMAYINGI
NUNAVUT WATER BOARD
OFFICE DES EAUX DU NUNAVUT

File No: 3BM-CLY0308/TR/A1

April 16, 2008

By email

Jerry Kalluk, SAO
Hamlet of Clyde River
PO Box 89
Clyde River, NU X0A 0E0
E-mail: saoclyde2004@yahoo.ca

Subject: Submission of 2007 INAC Inspection Report

Dear Mr. Kalluk:

The Nunavut Water Board ("NWB") acknowledges receipt of a submission from Indian and Northern Affairs Canada entitled 2007 INAC Inspection Report, received on December 5, 2007 as a requirement of Part A, Item 1 of water license 3BM-CLY0308. This submission has been placed on the NWB public registry and is available from the NWB ftp site at the following link:

<http://nunavutwaterboard.org/ftp/>

Please refer to the folder entitled 3BM - MUNICIPAL / 3BM-CLY/Technical Review/Scope Enforcement.

This report is forwarded to the distribution list for information only. Anyone wishing to provide comments can do so by return mail to the Manager of Licensing at the address indicated below.

Please forward all comments to licensing@nunavutwaterboard.org

Sincerely,

Original signed by:

Doreen Porter
Administrative Clerk

cc. Qikiqtani Distribution List