



P.O. Box 119  
GJOA HAVEN, NU X0B 1J0  
TEL: (867) 360-6338  
Fax: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᓂᓕᓂᓪ  
NUNAVUT IMALIRIYIN KATIMAYINGI  
NUNAVUT WATER BOARD  
OFFICE DES EAUX DU NUNAVUT

---

**File No: 3BM-CLY0308/TR/A1**

September 15, 2008

By email

Mr. Bill Buckle  
Acting Senior Administrative Officer  
Hamlet of Clyde River  
P.O. Box 89  
Clyde River, NU X0A 0E0  
Email: [saoclyde2005@qiniq.com](mailto:saoclyde2005@qiniq.com)

Subject: Submission of INAC Inspection Report

Dear Mr. Buckle:

The Nunavut Water Board ("NWB") acknowledges receipt of a submission from Indian and Northern Affairs Canada entitled INAC Inspection Report, received on August 28, 2008 as a requirement of Part A, Item 1 of water license 3BM-CLY0308. This submission has been placed on the NWB public registry and is available from the NWB ftp site at the following link:

<http://nunavutwaterboard.org/ftp/>

Please refer to the folder entitled 3BM - MUNICIPAL / 3BM-CLY/Technical Review/Scope Enforcement.

This report is forwarded to the distribution list for information only. Anyone wishing to provide comments can do so by return mail to the Manager of Licensing at the address indicated below.

Please forward all comments to [licensing@nunavutwaterboard.org](mailto:licensing@nunavutwaterboard.org)

Sincerely,

*Original signed by:*

Doreen Porter  
Administrative Clerk

cc. Qikiqtani Distribution List