



P.O. Box 119  
GJOA HAVEN, NU X0B 1J0  
TEL: (867) 360-6338  
FAX: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᓂᓕᓂᓪ  
NUNAVUT IMALIRIYIN KATIMAYINGI  
NUNAVUT WATER BOARD  
OFFICE DES EAUX DU NUNAVUT

**File No: 3BM-CLY0308**

September 4, 2008

Bhabesh Roy, M.A.Sc., P.Eng.  
Municipal Planning Engineer  
Community & Government Services  
Baffin Region, Government of Nunavut  
P.O. Box 379  
Pond Inlet, NU X0A 0S0  
Email: [broy@gov.nu.ca](mailto:broy@gov.nu.ca)  
[saoclyde2004@yahoo.ca](mailto:saoclyde2004@yahoo.ca)

Subject: Hamlet of Clyde River – Municipal Project – Amendment Type “B”:

Dear Mr. Roy and Mr. Buckle:

The Nunavut Water Board (“NWB”) acknowledges receipt on August 22, 2008, of a document from BGC Engineering Inc. entitled NWB 3BM-CLY0308 Clyde River Sewage Lagoon Water License Amendment – Geotechnical and Geothermal Review. This document is attached for your review along with the submitted GN-DOE response to comments submitted by interested parties during the public review period. Based on this additional information and the need for additional clarification and information, it has been determined that a teleconference between interested parties is required.

The NWB would like to schedule a Teleconference for Wednesday, September 10, 2008 at 1:00 pm Mountain Time. Dial in number is 1-877-579-4178 and the Participant Pass Code is 807543#. Please confirm your attendance in writing to my attention. Representation from INAC, EC, and GN-DOE is specifically requested.

Sincerely,

*Original signed by:*

Phyllis Beaulieu  
Manager of Licensing

Cc: Distribution List – Qikiqtani  
Dave Hohnstein - NWB  
Steven Lines – NWB  
Karlette Tunaley – NWB  
Jack Seto – BGC Engineering