

Phyllis Beaulieu

File 3BM-CLY0308/TR/B1 General Cam

From: Roy, Bhabesh [BRoy@gov.nu.ca]
Sent: Friday, September 19, 2008 11:45 AM
To: Phyllis Beaulieu; dts@nunavutwaterboard.org; Dionne Filiatrault
Cc: Palluq, Johnathan; Fuentes, Patricio; Toonoo, Timoon
Subject: Updates for Water Licenses

Phyllis,

I am giving you an update on some of our Water License applications in Baffin Region.

1. Clyde River:

- Spill contingency plan will be submitted as soon as amendment License is made available by NWB.
- Technical summary Report and Municipal questionnaire in English were submitted. Inuktitut version of the Technical Summary will be submitted next week.

2. Cape Dorset: Thermistors will be installed next Month

3. Kimmirut: Water License application is under review by NWB

4. Arctic Bay: Water License application is under review by NWB

5. Grise Fiord: Water License application was submitted recently.

6. Resolute Bay:

Landfill site: The consultant is working on the documents for NWB to satisfy the water license conditions
Utilidor system: Water License application is under Review by the NWB.

Igloolik: SAO will submit the Municipal supplementary questionnaire soon

8. Sanikiluaq: SAO is sending water License application soon to NWB.

9. Hall Beach: Response letter of the Water License on O&M was submitted today.

I am traveling this weekend for Igloolik to attend INAC's Wastewater treatment Workshop. After that I will be on annual leave and back to office on **Nov.03**.

I will be available by e-mail until Sep. 26.

Thanks and have a good day.

Bhabesh

Bhabesh Roy, M.A.Sc., P.Eng.

Municipal Planning Engineer

Community Government Services

Baffin Region, Government of Nunavut

P.O.Box 379, Pond Inlet, X0A 0S0