

**From:** [Roy, Bhabesh](#)  
**To:** [dts@nunavutwaterboard.org](mailto:dts@nunavutwaterboard.org); [Phyllis Beaulieu](#); [Kevin Buck](#)  
**Cc:** [Fuentes, Patricio](#); [Palluq, Johnathan](#); [Toonoo, Timoon](#); [Scott, Grant](#); [Carbonnier, Richard](#); [Steven Burden](#); [Dionne](#)  
**Subject:** RE: Clyde River Water License  
**Date:** Friday, January 30, 2009 1:41:35 PM

---

David,

Our understanding with the Amendment Water License of the Hamlet of Clyde River is as follows:

In this application, we are only considering optimization of Wastewater treatment by expanding the existing Sewage Lagoon keeping all other environmental facilities under the existing Licensed untouched.

We will provide our **Plan of compliance** once this amendment License will be merged into the new License and the new License will be active for the Community.

Hope this will clarify the issue.

Thanks,

[Bhabesh](#)

**Bhabesh Roy, M.A.Sc., P.Eng.**

Municipal Planning Engineer  
Community Government Services  
Baffin Region, Government of Nunavut  
P.O.Box 379, Pond Inlet, X0A 0S0  
Ph-867 899 7314  
Fax-867 899 7328  
E-mail: [broy@gov.nu.ca](mailto:broy@gov.nu.ca)

---

**From:** David Hohnstein [<mailto:dts@nunavutwaterboard.org>]  
**Sent:** Friday, January 30, 2009 9:06 AM  
**To:** Roy, Bhabesh; 'Phyllis Beaulieu'; 'Kevin Buck'  
**Cc:** Fuentes, Patricio; Palluq, Johnathan; Toonoo, Timoon; Scott, Grant; Carbonnier, Richard; 'Steven Burden'; Dionne  
**Subject:** RE: Clyde River Water License

[Bhabesh](#),

Thank you for your email (and attachments) in follow-up to our telephone conversation on Thursday January 29, 2009, regarding the Clyde River renewal application and outstanding issues from the amendment that was issued on September 26, 2008.

The letter you have included was indeed received by our licensing department on January 8, 2009 (the letter version addressed to Phyllis Beaulieu) however, it does not address the issue that was discussed. The letter of January 8<sup>th</sup> was further distributed to Environment Canada for review and a request for expert advice on the effluent quality limits, the use of the wetland and the application of toxicity testing of the municipal wastewater effluent. These comments have been accepted as part of EC's submission and have been considered in the current renewal review process.

With regard to my inquiry, the outstanding issue that was discussed falls under Part B, Item 10 of the Amendment issued in September. The NWB Licensing Manager confirmed that a "Plan for Compliance" has not been received by the NWB. This omission was also noted in INAC's submission of January 2, 2009, Item C, under Comments and Recommendations.

I will follow-up this email with a letter to address the outstanding Plan and provide options for submission. Please advise if the Plan was submitted as earlier indicated and that possibly it had not been received by the Licensing department. I will confirm this omission with Phyllis along with any other requirements of the amendment that may be outstanding and include in the future correspondence.

Regards,

David Hohnstein  
A/Director Technical Services  
Nunavut Water Board

---

**From:** Roy, Bhabesh [mailto:[BRoy@gov.nu.ca](mailto:BRoy@gov.nu.ca)]  
**Sent:** Thursday, January 29, 2009 12:44 PM  
**To:** Phyllis Beaulieu; [dts@nunavutwaterboard.org](mailto:dts@nunavutwaterboard.org); Kevin Buck  
**Cc:** Fuentes, Patricio; Palluq, Johnathan; Toonoo, Timoon; Scott, Grant; Carbonnier, Richard; Steven Burden  
**Subject:** Clyde River Water License

Hi Phyllis and David,

Please find attached a letter from our consultant explaining some issues and concerns of the Clyde River Amendment Water License. I will be appreciating if you address these issues in the newel process of the Clyde River Hamlet Water License.

Our Consultant TROW Associates Inc. sent this letter to Phyllis Beaulieu on our behalf while I was on vacation.

David, I am in the office. If you need any information for this file, Please do not hesitate to contact me at any time.

Thanks,

Bhabesh

**Bhabesh Roy, M.A.Sc., P.Eng.**  
Municipal Planning Engineer  
Community Government Services  
Baffin Region, Government of Nunavut  
P.O.Box 379, Pond Inlet, X0A 0S0  
Ph-867 899 7314  
Fax-867 899 7328  
E-mail: [broy@gov.nu.ca](mailto:broy@gov.nu.ca)