



3BM-CLY1419 Hamlet of Clyde River Water Licence Renewal Application

Richard Dwyer <richard.dwyer@nwb-oen.ca>
Draft To: Ali Shaikh <ali.shaikh@nwb-oen.ca>

Mon, Aug 19, 2019 at 8:18 AM

From: **Zhong, David (AADNC/AANDC)** <david.zhong@canada.ca>
Date: Fri, Aug 16, 2019 at 11:34 AM
Subject: RE: 3BM-CLY1419 Hamlet of Clyde River Water Licence Renewal Application
To: Ali Shaikh <ali.shaikh@nwb-oen.ca>
Cc: Okonkwo, Godwin (AADNC/AANDC) <godwin.okonkwo@canada.ca>

Hi Ali,

CIRNAC finds the licensee's response to CIRNAC's comments adequate. CIRNAC looks forward to reviewing the new version of the O&M manual when it becomes available.

Regards,

David.

From: Ali Shaikh [mailto:ali.shaikh@nwb-oen.ca]
Sent: Friday, August 16, 2019 10:58 AM
To: Zhong, David (AADNC/AANDC)
Subject: Fwd: 3BM-CLY1419 Hamlet of Clyde River Water Licence Renewal Application

Hello David,

I am the Technical Advisor working on the renewal of Clyde River Licence **3BM-CLY1419**. We had received a response from the applicant (attached) following CIRNA's comments on August 06, 2019. Can CIRNA confirm if whether or not the attached response satisfies CIRNA comments.

Regards,

Ali



Mohammad Ali Shaikh- ᓄᓐᓂᓐ ᓂᓐᓂᓐ ᓂᓐᓂᓐ

Technical Advisor - Conseiller technique ᓂᓐᓂᓐ ᓂᓐᓂᓐ ᓂᓐᓂᓐ
Piluaqnaqtuliginiqmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓂᓐᓂᓐ ᓂᓐᓂᓐ ᓂᓐᓂᓐ- NUNAVUT IMALIRIYIN
KATIMAYINGI

P.O. Box 119
Gjoa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

ᓂᓐᓂᓐ ᓂᓐᓂᓐ
ᓂᓐᓂᓐ, ᓂᓐᓂᓐ X0B 1J0

Titigaqvia 119
Uqhuqhuq, NU, X0B 1J0

Tel / Téléphone / ᓂᓐᓂᓐ / Hivayuta: (867) 360-6338 | Fax / Télécopieur / ᓂᓐᓂᓐ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᓂᓐᓂᓐ ᓂᓐᓂᓐ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

----- Forwarded message -----

From: **Richard Dwyer** <richard.dwyer@nwb-oen.ca>

Date: Thu, Aug 8, 2019 at 1:18 PM

Subject: Re: 3BM-CLY1419 Hamlet of Clyde River Water Licence Renewal Application

To: Okonkwo, Godwin (AADNC/AANDC) <godwin.okonkwo@canada.ca>

Cc: Ali Shaikh <ali.shaikh@nwb-oen.ca>

Good afternoon,

The Nunavut Water Board requests CIRNA confirm whether or not the attached response satisfies CIRNA comments, by August 15, 2019.

Regards,

Richard

The Nunavut Water Board acknowledges receipt August 1, 2019 of SOLIDWASTE OPERATION AND MAINTENANCE PLAN (attached) submitted as additional information in support of Hamlet of Clyde River water licence renewal application.

The Nunavut Water Board invites parties to submit comments by **August 8, 2019**.

Regards,

Richard



Richard Dwyer- ᓇᓇᓇᓇ ᓇᓇᓇᓇ

Manager of Licensing - Responsable des Permis ᓇᓇᓇᓇ ᓇᓇᓇᓇᓇᓇᓇᓇ Maniayauyuq
Laisaligninimun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓇᓇᓇᓇ ᓇᓇᓇᓇᓇᓇ ᓇᓇᓇᓇᓇᓇᓇᓇᓇᓇ NUNAVUT IMALIRIYIN
KATIMAYINGI

P.O. Box 119
Gjoa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

ᓇᓇᓇᓇ ᓇᓇᓇᓇ
ᓇᓇᓇᓇᓇᓇᓇᓇᓇᓇᓇᓇ X0B 1J0

Titigaqavua 119
Uqhuqhuq, NU, X0B 1J0

Tel / Téléphone / ᓇᓇᓇᓇ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᓇᓇᓇᓇ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᓇᓇᓇᓇᓇᓇᓇᓇ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Wed, Jun 26, 2019 at 3:22 PM Richard Dwyer <richard.dwyer@nwb-oen.ca> wrote:

Good afternoon,

The Nunavut Water Board ("NWB") acknowledges receipt on May 30, 2019 of your renewal water licence application, for the Hamlet of Clyde River. This application has been assigned file number 3BM-CLY1419. Please refer to this number on future submissions. Application documents received are as follows:

- 190530 3BM-CLY1419 Application Renewal_Amendment
- 190530 3BM-CLY1419 Cover Letter
- 190530 3BM-CLY1419 Executive Summary English
- 190530 3BM-CLY1419 Executive Summary Inuktitut
- 190530 3BM-CLY1419 Hazardous Waste Segregation , Storage and Transportation ,2019
- 190530 3BM-CLY1419 Letter of Authorization
- 190530 3BM-CLY1419 NPC letter re 149071
- 190530 3BM-CLY1419 Plan for Compliance-Revised May 29 2019
- 190620 3BM-CLY1419 Application Inquiry Repsonse
- 190626 3BM-CLY1419 Stand alone Spill Response Plan

Please be advised that under the Agreement Between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in Right of Canada (Nunavut Agreement) Article 11, Section 11.5.9 and s. 76 (1) of Nunavut Planning and Project Assessment Act (NuPPAA), the proponent of a project governed by NuPPAA is also required to submit a project proposal

The NWB confirms receipt of NPC conformity under NuPPAA on April 26, 2019 and NIRB determination through NPC under NuPPAA on April 26, 2019. This application is now ready for review and comments. Deadline for submissions is **July 16, 2019**.

--
To unsubscribe from this group and stop receiving emails from it, send an email to distro-qikiqtani+unsubscribe@nwb-oen.ca.