

Hamlet of Coral Harbour renewal application for water licence 3BM-COR1521

Richard Dwyer <richard.dwyer@nwb-oen.ca> To: munch@qiniq.com, "Chalmers, Elan" < Echalmers@gov.nu.ca> Bcc: Distro Kivalliq < distro-kivalliq@nwb-oen.ca>

Tue, Jul 27, 2021 at 9:12 AM

Good morning,

CIRNA has requested an extension to submit comments, the deadline for comments is now August 4, 2021.

Regards,

Richard



Manager of Licensing - Responsable des Permis <□ C∩ C∩ C C C Maniyauyuq Laisaliginigmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT Δαρι Δισαρι βΩΓΑΝΟΝΑΥUT IMALIRIYIN KATIMAYINGI

P.O. Box 119 Gjoa Haven, NU X0B 1J0 C.P. 119 Gjoa Haven, NU X0B 1J0

105 56 A 56 Day 30,000 100 X013 110 Titigaqaqvia 119 Ughighing, NU, X0B 1J0

Tel / Téléphone / パペトレく / Hivayauta: (867) 360-6338 | Fax / Télécopieur / パープ・プ・プ・ Fax-kut: (867) 360-6369 Toll Free / Sans / <\P\6\C\C\5\6 / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



After it de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Tue, Jun 29, 2021 at 11:40 AM Richard Dwyer <richard.dwyer@nwb-oen.ca> wrote: [Quoted text hidden]