



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᑎᓕᓪᓴᓪ
NUNAVUT WATER BOARD
NUNAVUT IMALIRIYIN KATIMAYINGI

File No: NWB3COR0207

4 August 2004

Lucy Netser
Senior Administrative Officer
Hamlet of Coral Harbour
P.O. Box 30
Coral Harbour, NU X0C 0C0
FAX: (867) 925-8233

RE: Solid Waste Disposal Facility Modification (Part E, Item 1)

Dear Ms. Netser:

The Nunavut Water Board has reviewed the "Minor Changes Coral Harbour Solid Waste Site" documents submitted to the Board on May 15, 2004 in accordance with Part E, Item 1 of your water licence. These documents relate to proposed minor modifications to the fence surrounding the Solid Waste Disposal Facility operated by the Hamlet of Coral Harbour. The NWB herein approves the submission as presented and reminds the Licensee that as-built engineered diagrams of the modifications referred to in the "Notice of Design Modification" documents are to be submitted the Board within ninety (90) days of completion of the modification.

Should you require clarification in this matter do not hesitate to contact me.

Sincerely,

Original Signed By:

Philippe di Pizzo
Executive Director

cc: Elizabeth Sherlock, DIAND Iqaluit
Constantine Bodykevich, DIAND Inspector
Colette Meloche, Environment Canada
Tania Gordanier, Department of Fisheries and Oceans
Bryan Purdy, CG&S, Government of Nunavut