



NWB Tools

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

Re: Gjoa Haven Sewage Lagoon - Update

1 message

Andrew Keim <Andrew.Keim@aandc-aadnc.gc.ca>

Wed, Oct 1, 2014 at 7:45 AM

To: Stuart Rostant <SRostant@gov.nu.ca>

Cc: Erik Allain <Erik.Allain@aandc-aadnc.gc.ca>, Kevin Niptanatiak <KNiptanatiak@gov.nu.ca>, Ralph Ruediger <RRuediger@gov.nu.ca>, Shane Slifka <SSlifka@gov.nu.ca>, "PhyllisBeaulieu (licensing@nunavutwaterboard.org)" <licensing@nunavutwaterboard.org>, "saogjoa@qiniq.com" <saogjoa@qiniq.com>

Good morning all,

Thank you for your up-date. I had expected to get something from you last week following the conference call. I assume the Government of Nunavut still plans to follow the course of action we initially discussed.

If however there is any change to what was discussed during that meeting I would ask and that you provide me an update on what you are intending to propose.

Once I have that information I would be willing to entertain your request for an extension to the Direction.

Please note that the deadline set in the Direction is today.

Andrew Keim
Water Resources Officer
Field Operations Unit
Aboriginal Affairs and Northern Development Canada
Nunavut Regional Office
P.O. Box 100
Iqaluit, Nunavut X0A 0H0
Andrew.Keim@aandc-aadnc.gc.ca
Phone: (867) 975-4289
Fax: (867) 979-6445
B.B (867) 222- 6488

>>> "Rostant, Stuart" <SRostant@GOV.NU.CA> 9/30/2014 3:33 PM >>>

Hi Andrew,

Attached is an update on the Gjoa Haven Sewage Lagoon. Please review and provide any comments. We are currently putting together a response to an outstanding question in your August 26th letter. Contrary to the attachment, it does not seem as though we will be able to meet the October 1st deadline for this response and ask that you allow us to extend to the 7th October.

Stuart

Stuart Rostant

Project Officer

Kitikmeot Region
Department of Community Government Services

Government of Nunavut

Tel: [867.983.4142](tel:867.983.4142)

Fax: [867.983.4124](tel:867.983.4124)

srostant@gov.nu.ca