



ᓄᓇᑭᓪ ᐃᓕᓕᓂᓪᓃᓪ ᑲᓂᓕᓂᓪᓃᓪ  
NUNAVUT WATER BOARD  
NUNAVUT IMALIRIYIN KATIMAYINGI  
OFFICE DES EAUX DU NUNAVUT

**File No.: 3BM-GJO1318/TR/B1**

November 2, 2015

Shah Alam, P. Eng.  
Municipal Planning Engineer,  
Government of Nunavut,  
Department of Community and Government Services  
BAG 200 Cambridge Bay, NU X0B 0C0

Email: [salam@gov.nu.ca](mailto:salam@gov.nu.ca)

**Subject: Licence No. 3BM-GJO1318 “Hamlet of Gjoa Haven” Kitikmeot Region, Nunavut; Submission of Annual Reports for 2013 and 2014**

---

Dear Mr. Alam,

The Nunavut Water Board (“NWB” or “Board”) has reviewed the 2013 and 2014 Annual Reports for the above mentioned project that were submitted to the NWB on behalf of the Hamlet of Gjoa Haven, on June 4, 2014 and March 30, 2015, respectively. The Annual Reports were distributed for information.

The Annual Reports included also Effluent sample analytical results for 2013 and 2014. While the Annual Reports are found to be generally meeting the reporting requirements of the Licence, the NWB notes however that only July/August 2013 and September 2014 sampling results were included (or conducted) within the Annual Reports instead of the monthly sampling (from May to August, inclusive) as required by Part H Item 4 of the Licence.

Should you have any questions, please feel free to contact the undersigned at (867) 360-6338 Ext. 35 or [karen.kharatyan@nwb-oen.ca](mailto:karen.kharatyan@nwb-oen.ca), at your earliest convenience.

Yours truly,

(for) Karén Kharatyan  
Senior Technical Advisor

cc: Distribution List – Kitikmeot