File No.: **3BM-GJO1318**

May 24, 2018

David Stockley Senior Administrative Officer Hamlet of Gjoa Haven P.O. Box 200 Gjao Haven, NU X0B 1J0

E-mail: saogjoa@qiniq.com

RE: NWB Technical Review of 2017 Annual Report for the Hamlet of Gjoa Haven; Water Licence No. 3BM-GJO1318

Dear Mr. Stockley:

The Nunavut Water Board (NWB) has completed a technical review of the 2017 Annual Report.

On March 12, 2018, the NWB acknowledged receipt of the Annual Report and provided it to the Kitikmeot distribution list for information. No comments have been received to date.

The technical review of the Annual Report found that the information addresses the requirements of the Licence.

The NWB strongly recommends that the Licensee address issues identified in 2017 by the Inspector¹, including the pending expiry of the Licence. Please provide a brief summary of work done to address concerns or deficiencies listed in the inspection reports and/or compliance reports prepared by an Inspector or other parties in the 2018 Annual Report.

¹ Indigenous and Northern Affairs Canada (INAC) Inspection Report, July 11, 2017. INAC Cover Letter for Inspection Report, March 7, 2018.

Should you have any questions, please feel from (extension 29), at your earliest convenience.	ee to contact me, Dave Baines at (867) 360-6338
	Sincerely,
	Dave Baines Nunavut Water Board, Technical Advisor
Cc: Distribution List – Kitikmeot	Technical Advisor