Marty Kuluguaqtuq Senior Administrative Officer **P.O Box 77** Grise Fiord, Nu X0A-0J0Ph 867-980-9959

June 13, 2014

Our File: 3BM-GRI0911Expired

CIDM # 805859

RE: Water License Inspections

Mr. Kuluguaqtuq

I am writing today to advise you of the up-coming Water License Inspection on the Municipal Water Treatment, Bulk Waste Management and Waste Treatment Facilities Grise Fiord on the 8th of July 2014.

As you may be aware Aboriginal Affairs and Northern Development Canada (AANDC) is responsible for ensuring compliance with, and enforcement of, the Nunavut Water and Nunavut Surface Rights Tribunal Act. As such, our Inspectors conduct annual Inspections in each community as well as Exploration Camps, Mine sites, Research Camps and other activities conducted on Crown Lands, Commissioner's (Municipal) Lands as well as Inuit Owned Lands throughout the Nunavut Territory.

I require your assistance in completing these Inspections and in accordance with the Act I would ask that you ensure that your municipal foreman or other suitable staff persons as well as any other required resources be made available during the Inspection period.

This will allow the Inspector and your staff members to conduct the Inspection, collect the required samples, review the terms and conditions of your license and the Act, as well as note any obstacles to achieving compliance that can be addressed in light of the issued Direction.

I very much look forward to your positive response and hope we will have the opportunity to work cooperatively together this coming year.

If you have any questions or concerns, please do not hesitate to contact either myself or our offices here in Iqaluit at your earliest convenience.

Sincerely,

(Sent by E-mail)

Andrew Keim Water Resources Officer **INAC Nunavut Regional Office** P.O. Box 100 Igaluit, Nunavut X0A 0H0

Andrew.Keim@AANDC.GC.CA

Phone: (867) 975-4289 Fax: (867) 979-6445

Cc:

Erik Allain, Manager, Field Operations, INAC Iqaluit Phyllis Beaulieu, Manager Licensing, Nunavut Water Board