

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

[Licensing] 3BM-GRI water / effluent monitoring results

1 message

Sonia Aredes <sonia.aredes@nwb-oen.ca>

Wed, Jun 17, 2015 at 1:47 PM

To: "Roy, Bhabesh"

 droy@gov.nu.ca>, Licensing Department licensing@nwb-oen.ca>

Hi Bhabesh

The 2014 Annual Report states that

"The Lab Test Results for 2014 are submitted in the separate document."

They are not on the ftp site, please could you ask the Hamlet officer to submit them?

Thanks Sonia



Sonia Aredes, P.Eng.- 5の くんい

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT ውඛ[©] ΔL ፫ ሴት 6 ከቤት ϒ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119 C.P. 119 Gjoa Haven, NU, X0B 1J0 Gjoa Haven (Nunavut), X0B 1J0

በበናዔዔሌ 119 ኦ'ዶንት, ፌ৯ሩ X0B IJ0

Tel / Téléphone / ۲ペナレC / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ۲6+6c / Fax-kut: (867) 360-6369 Toll Free / Sans Free /
P°b° C⊃°b / Akiittuq : 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this me copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-deasus. Toute autre persoanc est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expédieur par courier électronique immédiatement el défruire ce message et toute copie de celui-ci, therei pour voire collaboration.

📤 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email