



3BM-HAL1520 Public Notice

1 message

Kayla Carter <kayla.carter@nwb-oen.ca>
To: "Roy, Bhabesh" <broy@gov.nu.ca>, "Louis M. Primeau" <sao_hbhamlet@qiniq.com>
Bcc: Distro Qikiqtani <distro-qikiqtani@nwb-oen.ca>

Tue, Mar 3, 2020 at 3:36 PM

Good Afternoon,

Please find attached for Licence No. 3BM-HAL1520 Public notice to post, comments are due by March 26, 2020. Inuktitut version will be sent shortly.

Regards,

Kayla



Kayla Carter- b6c b7c

Licensing Administrator Assistant - Administratrice des permis $\Delta b \epsilon^{5b} \eta$
Laisliriniinuum Ikavuoti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᓪ ᐃᓚᓕᓂᓪᓴᓪ ᓅᓂᓚᓪᓴᓪ- NUNAVUT IMALIRIYIN
KATIMAYINGI

P.O. Box 119
Gjoa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

၂၀၁၆ ခုနှစ်၊ ဇူလိုင်လ ၁ ရက်နေ့

Titigaqavua 119
Uqhuqtunq, NU, X0B 1J0

Tel / Téléphone / ᐱᑦᓴᓂᕈᕋᖅ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᑦᓴᓂᕈᕋᖅ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐱᑦᓴᓂᕈᕋᖅ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

2 attachments

 200303 3BM-HAL1520 notice local Hall-OLAE.pdf
159K

 **200303 3BM-HAL1520 notice-OLAE.pdf**
328K