

Memorandum

Jan Conroy
Office Coordinator
Technical Advisory Committee
Yellowknife

May 28, 1996

B9545-5-N5L4-1441

Comments on the Kimmirut Sanitation Site Planning Study

Ref: Your memorandum of May 7, 1996.

1441
TAC

1. Presently this office has misgivings about offering any comments at this time.
2. A number of acceptable proposals have been advanced (all of which are designed to meet the concerns of the regulatory agencies) but whose ultimate decision rests with the GNWT (DPW/MACA).
3. As such, this office does not feel that any comments offered by it will have any influence on the choice made as this decision will be balanced with financial and community concerns being taken into account. At this point in the process, as long as regulatory minimums are being used as planning guidelines, our concerns are being met.
4. At such time that a particular option is chosen, this office will have comments to offer.
5. Our only concern is that based on the costs of some of the available options that the entire project may be delayed until such funding can be secured. This would be unacceptable as the sewage disposal system is sub-standard and improvements are necessary.



Paul Smith
Water Resources Officer
Nunavut District



Government
of Canada

Gouvernement
du Canada

MEMORANDUM NOTE DE SERVICE

TO
A

Jan Conroy
Office Coordinator
Technical Advisory Committee

Security Classification de securite

Our file - Notre reference

Your file - Votre reference

Date May 31, 1996

FROM
DE

Chris Spence
Hydrologist
Water Resources Division

SUBJECT/OBJET: KIMMIRUT (LAKE HARBOUR) SANITATION SITE STUDY

1441
TAL

I have reviewed the above submission and have no comments or concerns.

Chris Spence (669 - 2665) (Fax: 669 - 2716)
c.c Brian Latham