

**From:** Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>  
**Sent:** February 2, 2015 5:07 PM  
**To:** Hamlet of Kugluktuk; Alam, Shah  
**Cc:** Licensing Department  
**Subject:** 150202 3BM-KUG0914 Hamlet of Kugluktuk Renewal Application - Request Review and Comments-OMLE  
**Attachments:** 150202 3BM-KUG0914 Distribution Review-OMLE.pdf; 150202 3BM-KUG0914 notice local Kugluktuk-OMLE.pdf; 150202 3BM-KUG0914 notice-OMLE.pdf

## NOTICE TO ALL PARTIES:

The Nunavut Water Board ("NWB") acknowledges receipt, between March 19, 2014 and November 28, 2014, of a renewal application for a Type "B" water license for water use and waste disposal associated with activities in the Kitikmeot region of Nunavut. The application consists of the following documents:

- Renewal Application dated March 19, 2014
- 2008 Design Development Report – Kugluktuk Water Improvement
- 2011 Process Selection Report Phase 2 Final
- Annual Reports 2005 to 2008
- Sewage Treatment Facility OM Plan
- November 13, 2014 – GN response to deficiencies
- AR Plan of Kugluktuk old lagoon
- IFC Drawings Phase 2
- Water Intake OM Manual
- Record Drawings As-Built – Phase 1
- Tender Drawings – Phase 2
- November 2014 Compliance Plan
- November 2014 Spill Contingency Plan
- Letter November 2014 on SPC and Compliance Plan

The application can be obtained from our ftp site under PRUC with Username: public, Password: registry.

The NWB undertook a preliminary review of your application and concluded that it meets the requirements of section 48(1) of the *Nunavut Waters and Nunavut Surface Rights Tribunal Act* ("Act"). However, the NWB retains the right to request additional information and studies pursuant to sections 48(2) of the Act or to issue guidelines for the provision of information pursuant to section 48(3) of the Act. A NWB Technical Advisor may be in touch with you to clarify any technical details related to your application.

In accordance with S.11.5.10 of the *Agreement Between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in Right of Canada* ("NLCA"), prior to the application being fully processed by the NWB the project proposal shall be reviewed by the Nunavut Planning Commission ("NPC"), to determine whether the project proposal is in conformity with an approved land use plan. By copy of this letter, the NWB requests the NPC provide its determination and recommendations to the NWB pursuant to Sections 13.4.2 through 13.4.5 of the NLCA, or written confirmation that the project proposal falls outside the boundaries of an approved land use plan. Also, by copy of this letter to the Nunavut Impact Review Board ("NIRB"), the NWB requests that if the project proposal requires screening, the NIRB provide the NWB with a determination pursuant to Section 13.5.1 of the NLCA. If the project is exempt from screening pursuant to Schedule 12-1 of the NLCA, the NWB requests written confirmation from the NIRB that the project proposal is in fact exempt from screening.

inviting interested parties to make representation directly to the NWB within 30 days from the date of this letter. The NWB may provide additional procedural instructions once the application has been reviewed by interested parties.

Subject to Sections 12.10.2 and 13.5.5 of the NLCA, where a review is required pursuant to Article 12, the NWB shall not approve any water application that forms part of that review until Article 12 has been complied with.

Sincerely,

