



NWB Tools

Robin Ikkutisluk <robin.ikkutisluk@nwb-oen.ca>

201118 3BM-KUG1520 GN-CGS's response to comments - Hamlet of Kugluktuk Water Licence Application

Graham2, Anna (EC) <anna.graham2@canada.ca>

Fri, Nov 27, 2020 at 6:13 AM

To: Robin Ikkutisluk <robin.ikkutisluk@nwb-oen.ca>

Hi Robin,

Apologies for the late response. Our water quality expert has the response to review, but likely will not be able to provide a response until next week. I hope that's not too late.

Regards,

Anna

From: Robin Ikkutisluk <robin.ikkutisluk@nwb-oen.ca>**Sent:** November 26, 2020 3:58 PM**To:** Zhong, David (AADNC/AANDC) <david.zhong@canada.ca>; Campbell, Bridget (AADNC/AANDC) <bridget.campbell@canada.ca>; Graham2, Anna (EC) <anna.graham2@canada.ca>**Cc:** Licensing Department <licensing@nwb-oen.ca>; Ali Shaikh <ali.shaikh@nwb-oen.ca>**Subject:** Re: 201118 3BM-KUG1520 GN-CGS's response to comments - Hamlet of Kugluktuk Water Licence Application

Good Afternoon,

This is an email reminder to provide any responses or comments in regards to GN-CGS's responses for the Hamlet of Kugluktuk Water Licence application. Please advise whether you will provide feedback.

Regards,

Robin

On Wed, Nov 18, 2020 at 1:44 PM Robin Ikkutisluk <robin.ikkutisluk@nwb-oen.ca> wrote:

Good Afternoon,

Please find the attached responses to Comments made by CIRNAC and ECCC regarding the Hamlet of Kugluktuk's renewal water licence application. The NWB advises parties to provide any questions or comments by **November 25, 2020**.

Regards,

Robin