



INAC, Nunavut District
Box 100
Iqaluit, NU
X0A 0H0

April 6, 2000.

John Holland
Senior Administrative Officer
Hamlet of Kugluktuk
P.O. Box 27
Kugluktuk, NU X0E 0E0

Follow-up on March 28, 2000's visit

First of all, I wish to thank Philip Katak, and yourself, for the much appreciated time and assistance you both provided me last week during my brief stay in Kugluktuk. I look forward to the upcoming summer inspection tour for an opportunity to drop by the Hamlet once more.

Attached is the Annual Report template which was provided in the past in an attempt to support Kugluktuk's SAO in filing the information required under the General Conditions (Part A, Item 3) of Water licence N7L4-1526. As you now also have a copy of the Water licence in your possession, I trust that the Nunavut Water Board will soon be hearing from the Hamlet in regards to the three overdue annual reports.

As far as the Hamlet's current difficulties concerning the new water intake facilities and the interim use of the direct pump shack, I hope all will be resolved without too much delay, especially since changing ice conditions might complicate things very shortly. Consequently, just let us know if our District office or other agencies can render further aid.

Please feel free to contact me at (867) 975-4298 or lavalleep@inac.gc.ca should any questions/comments arise.



tel.: (867) 975-4275

fax.: (867) 979-6445

Your file Votre référence



Our file Notre référence
N7L4-1526

Kugluktuk

INTERNAL	
PC	<i>[initials]</i>
LA	<i>April 29/00.</i>
OM	<i>[initials]</i>
TA	<i>12/5/00</i>
BS	<i>[initials]</i>
ED	<i>[initials]</i>
CEO	<i>[initials]</i>
BRD	<i>[initials]</i>
<i>DIAND Apr 26/00</i>	
EC	
BSD	
NIRB	

Sincerely,



Philippe Lavallée
Water Resources Officer
INAC, Nunavut District

- c.c. - Nunavut Water Board, Gjoa Haven
- INAC Water Resources, YK
- INAC RMO, Kugluktuk (Jim McPherson)
- CG&T, Iqaluit (Doug Sitland)