

Water Resources Division
Qimugjuk Building
P.O. Box 2200
Iqaluit, Nunavut
X0A 0H0

référence

Your file - Votre

N7L4-1526

Our file - Notre référence

9545-1-3-KUG-R

September 6, 2002

John Holland
Senior Administrative Officer
Hamlet of Kugluktuk
P.O. Box 271
Kugluktuk, Nunavut
X0B 0E0

Dear Mr. Holland:

Re: Review of 2001 Annual Report

Please accept this letter as notification that the 2001 Annual Report as required under licence N7L4-1526 Part A, Item 3 have been reviewed. As required in the water licence, tabular summaries of all data generated under the "Surveillance Network Program" must be included in the Annual Report. The samples collected by the Water Resources Officer are not intended to fulfil the license requirements and that the Hamlet should conduct an independent sampling program.

Annual reports constitute a critical source of information regarding municipal water use and waste disposal available to the NWB and regulatory agencies, and we appreciate your efforts to comply with this requirement. Please ensure that future reports are submitted prior to March 31 of the year following the calendar year reported. Should you have any questions or comments, please do not hesitate to contact me at (867) 975-4548 or by e-mail at mcchristiem@inac.gc.ca.

Sincerely,

Michelle McChristie
Kitikmeot/Kivalliq Regional Coordinator

c.c.: Nunavut Water Board
Water Resources Officer

· 20906KUG DIAND Review Annual Rep-ILAE