



NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

3BM-KUG1520 2017 Annual Report Review

Richard Dwyer <richard.dwyer@nwb-oen.ca>
To: sao@kugluktuk.ca
Cc: Licensing Department <licensing@nwb-oen.ca>
Bcc: Distro Kitikmeot <distro-kitikmeot@nwb-oen.ca>

Fri, Jun 8, 2018 at 4:43 PM

Good afternoon,

attached is review of 3BM-KUG1520 2017 annual report.

Regards,

Richard

Richard Dwyer- $\mathcal{L}^{\mathcal{C}}\mathcal{J}^{\mathcal{G}}\mathcal{D}\triangleleft\Delta\mathcal{L}^{\mathcal{G}}$

Manager of Licensing - Responsable des Permis ᐃᓈᕋᑦᑐᒃ ᕙᓂᔭᑲᑦᓴᓄᐅᓚᐅᓇᑦ Maniyauyuq
Laisaliginimun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᑭᑦ ᐃᓕᓕᓴᑦ ᑲᑎᓴᓴᑦ- NUNAVUT IMALIRIYIN
KATIMAYINGI

P.O. Box 119
Gjøa Haven, NU X0B 1J0

C.P. 119
Gioia Haven, NU X013 130

በበና ሳይገኝ ልሳሊ
ፈጣሪ ሳይገኝ ልሳሊ X013 110

Titigaqavua 119
Uqhuqtuq, NU, X0B 1J0

Tel / Téléphone / ᐅᐅᐅᐅᐅᐅᐅ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐅᐅᐅᐅᐅᐅᐅ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐅᐅᐅᐅᐅᐅᐅᐅᐅᐅ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email



180608 3BM-KUG1520 2017 Annual Report Tech Review-ODBE.pdf

141K