



NWB Tools

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

Re: 151208 3BM-KUG1520 Approved Amendment Renewal Licence-OMLE

1 message

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

Fri, Dec 18, 2015 at 9:04 AM

To: "Alam, Shah" <SAlam@gov.nu.ca>

Cc: "sonia.aredes@nwb-oen.ca" <sonia.aredes@nwb-oen.ca>, "david.hohnstein@nwb-oen.ca" <david.hohnstein@nwb-oen.ca>, Licensing Department <licensing@nwb-oen.ca>

Acknowledged as received and forwarded to the Tech Advisor and Director of Technical Services for a response.

Regards,



Phyllis Beaulieu- Δαττ >αττ

Manager of Licensing- Responsable des Permis

<D>C'N? cΔhCnσ⁸J'- Maniyauyuq Laisaliginiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᓄᓇᓂᓪ ᐱᓚᓕᓂᓪ ᓂᑎᓚᓪᓴᓯ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Gjøa Haven, NU, X0B 1J0

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

በበኛጭልላ 119

၂၀၁၃ ခု၊ ဇူလိုင်လ ၁၀ ရက်နေ့

Titigacaqvia 119

Udholm, NU, X03 110

Tel / Téléphone / ጽሑፍ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ጽሑፍ / Fax-kut: (867) 360-6369

Toll Free / Sans Free / ᐱᓕᓴᓂᑦᐸᓄᓐ : 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Thu, Dec 17, 2015 at 3:33 PM, Alam, Shah <SAlam@gov.nu.ca> wrote:

Dear Ms. Phyllis,

Please find above attached file of Review to the recently issued Water Licence 3BM-KUG 1520 for Hamlet of Kugluktuk, Nunavut.

Copy of the recently issued Amendment Water licence 3BM-KUG 1520 also attached for reference please.

Regards,

Shah Alam, P. Eng. E.P.

Municipal Planning Engineer,

Government of Nunavut

Community and Government Services

Kitikmeot Region,

Cambridge Bay, Nu

Phone: 867-983-4156, fax: 867-983-4124

salam@gov.nu.ca<<mailto:salam@gov.nu.ca>>