


- 1 PROOVE NPS 1/2 OCV AND DWP PIPING TO EW-01 & SK-01 C/W THERMOSTATIC MIXING VALVE NEAR OUTLET OF WH-01.
- 2 WH-01 SUSPENDED AT 200MM ABOVE FLOOR PLATE. DWP-01 CONNECTION DETAIL W-XXX.
- 3 INSTALL SP-02 DIRECTLY BENEATH SERVICE SINK SK-01 PROVIDE TAP AND DRAIN SK-01 DIRECTLY INTO SP-02 TANK.
- 4 PROOVE NPS 1/2 HOSE BB CONNECTION NEAR OUTLET OF DWP-01.
- 5 PIPE NPS 1/2 DRAIN FROM CC-01, CC-02 & CC-03 BACK TO SEWAGE TANK.
- 6 CONNECT PIPE TO TRUCK FILL RAW WITH FLEXIBLE JOINT (AS REQUIRED BY OTHERS).


- GENERAL NOTES:
- 1 LAYOUT OF CHEMICAL FEED PIPING (CF-N) IS SHOWN SCHEMATICALLY FOR CLARITY. COORDINATE FINAL LAYOUT ON SITE.

No.	R E V I S I O N S	DESCRIPTION	DATE	BY	APP'D
3		ISSUED FOR 80% REVIEW	06/12/2013		
2		ISSUED FOR 75% REVIEW	22/03/2013		
1		ISSUED FOR REVIEW	03/01/2013		

NOTES: GENERAL CONTRACTOR TO VERIFY ALL DIMENSIONS WITH FINAL ARCHITECTURAL AND MECHANICAL DRAWINGS. NOTIFY THE ENGINEERS OF ANY ERRORS AND/OR OMISSIONS PRIOR TO CONSTRUCTION FOR DIRECTION. DO NOT SCALE THIS DRAWING.



GOVERNMENT OF NUNAVUT
DEPARTMENT OF COMMUNITY
AND GOVERNMENT SERVICES

 **bpa**

Ottawa :
100-1960 Robertson Road, Suite 100, K2H 5B5
T.(613) 596.6454 F.(613) 596.3346
www.bpa.ca

Gatineau :
430 de l'hôpital bld, suite 210, J8V 1T7
T.(819) 778.2448 F.(819) 778.5031

Consulting Engineers

CLIENT
GOVERNMENT OF NUNAVUT
DEPARTMENT OF COMMUNITY
AND GOVERNMENT SERVICES

TITLE
MECHANICAL
PLUMBING LAYOUT

designed by	J.C.S.	drawing no.	
drawn by	J.C.S.	project no.	8012-099
checked by	P.C.		
date	DECEMBER 2013		M200