



P.O. Box 119  
GJOA HAVEN, NU X0B 1J0  
TEL: (867) 360-6338  
FAX: (867) 360-6369

ᓄᓇᓂᓪ ᐃᐭᓕᓂᓪ ᑲᑎᐭᓪ  
NUNAVUT WATER BOARD  
NUNAVUT IMALIRIYIN KATIMAYIT  
OFFICE DES EAUX DU NUNAVUT

**NWB File No.: 3BM-REP0409**

October 30, 2012

Steve Mapsalak  
Senior Administrative Officer  
Hamlet of Repulse Bay  
P.O. Box 10  
Repulse Bay, Nunavut  
X0C 0H0  
Email: [saorepulse@qiniq.com](mailto:saorepulse@qiniq.com)

**Subject: 3BM-REP0409 - Application to Renew Water Licence**

---

Dear Mr. Mapslak:

On March 28, 2011, the Nunavut Water Board (“NWB” or “Board”) received an unsigned, partially completed application to renew water licence 3BM-REP0409 (Licence) from the Hamlet of Repulse Bay.

The NWB conducted a preliminary review of the application document and determined that the application is incomplete. In addition, the NWB notes that as indicated in Block 13 of the application form, the overall estimated quantity of water to be used will increase to 89.73 cubic meters per day from the current licenced amount of 24,000 cubic meters per year or 65.75 cubic meters per day. As such, a water licence renewal and amendment is required.

To complete the water licence renewal and amendment application, the NWB requires the following additional information:

- Completed and signed *Application for a Water Licence Amendment* (see attached form);
- Confirmation in writing from the Nunavut Planning Commission (NPC) confirming that NPC’s requirements regarding land use plan conformity have been addressed;
- Confirmation in writing from the Nunavut Impact Review Board (NIRB) confirming that NIRB’s requirements regarding development impact assessment have been addressed;
- Compliance assessment and status report including a response to any inspector’s reports (see attached *Guide to the Preparation of a Plan for Compliance*);
- Executive summary in English;
- Executive summary in Inuktitut; and
- Application fee of \$30.

The Board will proceed with processing the application upon receipt of the items listed above and an assessment of the completion of the application.

Finally, the Hamlet of Repulse Bay is reminded that its water licence expired on May 31, 2009; however, expiry of the Licence does not relieve the holder from any obligations imposed by the Licence.

Should you have any questions please do not hesitate to contact the NWB office.

Sincerely,

*Original signed by:*

Phyllis Beaulieu  
Manager of Licensing

PB/kt/

Cc: Bryan Purdy, GN

Attachment    Application for Water Licence Amendment  
                    NWB Draft Guide to the Preparation of a Plan for Compliance

