



NIRB File No.: EX221
NWB File No.:3BM REP0409

September 30, 2014

Phyllis Beaulieu
Manager, Licencing
Nunavut Water Board
P.O. Box 119
Gjoa Haven, NU X0B 1J0

Sent via email: phyllis.beaulieu@nwb-oen.ca

Re: Application exempt from Screening pursuant to NLCA Schedule 12-1: Hamlet of Repulse Bay's "Type B Water Licence Amendment Renewal" proposal

Dear Phyllis Beaulieu:

On August 20, 2014 the Nunavut Impact Review Board (NIRB) received an application from the Nunavut Water Board (NWB) for the Hamlet of Repulse Bay's "Type B Water Licence Amendment Renewal" proposal for water use and waste disposal associated with a new sewage lagoon.¹ The NIRB has determined that this project proposal is exempt from screening pursuant to item 5 of Schedule 12-1 of the Nunavut Land Claims Agreement (NLCA), *Types of Project Proposals Exempt from Screening*:

NLCA Schedule 12-1 (5):

"Water uses that do not require a public hearing under Section 13.7.3".

As this project proposal is exempt from the requirement for Screening by the NIRB, authorizations associated with this proposal may be processed by your office.

If you have any questions or require additional clarification, please contact the undersigned directly at johokannoak@nirb.ca or (867) 983-4609.

¹ On September 29, 2014 the NIRB received an e-mail from the Government of Nunavut - Community and Government Services, which indicated the Nunavut Planning Commission's determination that the project was in conformity with the Keewatin Land Use Plan
<http://ftp.nirb.ca/01-SCREENINGS/EXEMPT%20FROM%20SCREENING/2014/EX221-Hamlet%20of%20Repulse%20Bay%20Sewage%20Lagoon/>

Sincerely,

A handwritten signature in blue ink, appearing to read 'Jaida Ohokannoak', followed by a long horizontal flourish.

Jaida Ohokannoak
Manager, Technical Administration
Nunavut Impact Review Board

cc: Kowesa Etitiq, Hamlet of Repulse Bay
Megan Lusty, Government of Nunavut-Community & Government Services
Brian Aglukark, Nunavut Planning Commission