

Robert Hunter <robert.hunter@nwb-oen.ca>

## 3BM-NAU2333; Hamlet of Naujaat O&M Plans, Applicant Response to Parties comments

1 message

## Robert Hunter <robert.hunter@nwb-oen.ca>

Wed, Jun 7, 2023 at 1:26 PM

To: "Wilson, Christine" <Christine.Wilson3@rcaanc-cirnac.gc.ca>, "Keim, Andrew" <andrew.keim@rcaanc-cirnac.gc.ca>, "Konopski,Heather (elle, la | she, her) (ECCC)" <Heather.Konopski@ec.gc.ca>, "Pinto,Melissa (elle, la | she, her) (ECCC)" <melissa.pinto@ec.gc.ca>

Cc: Ali Shaikh <ali.shaikh@nwb-oen.ca>, Licensing Department licensing@nwb-oen.ca>

Good afternoon,

Please see attached, Applicant response letter to parties comments as well as submissions of the Updated Plans in regards to the Hamlet of Naujaat's Water Licence No: 3BM-NAU2333; Operation and Maintenance Plans. The Nunavut Water Board would like to confirm whether or not the response addresses parties' concerns. The deadline for response is June 14, 2023.

Copies of all documents received in support of this submission can be accessed through the NWB's Public Registry and FTP site using the following Link:

ftp://ftp.nwb-oen.ca/registry/3%20MUNICIPAL/3B/3BM%20-%20Municipality/3BM-NAU2333/2% 20ADMIN/3%20SUBMISSIONS

The Nunavut Water board is aware that a number of web browsers are no longer supporting File Transfer Protocol (ftp). If you are having difficulty accessing our FTP site you may need to download an FTP application. We have been recommending the FileZilla Client below to access the files, which is a free and open source application. A link can be found below:

https://filezilla-project.org/

Please let me know if you have any questions or concerns.

Regards,

Robert Hunter Licensing Administrator

## 4 attachments



230607 3BM-NAU2333 Response Letter to ECCC CIRNAC Recommendations-ILAE.pdf 221K



230607 3BM-NAU2333 OM Plan Solid Waste Naujaat 2023-ILAE.pdf 695K



230607 3BM-NAU2333 2023 Naujaat Environmental Emergency and Spill Contingency Plan-ILAE.pdf

230607 3BM-NAU2333 2023 Naujaat Environmental Monitoring and QAQC Plan-ILAE.pdf 2258K