



Hamlet of Naujaat water licence application renewal

Collins, Sarah <SCollins@gov.nu.ca>

Thu, Nov 19, 2020 at 8:18 AM

To: Richard Dwyer <richard.dwyer@nwb-oen.ca>

Cc: "saonaujaat@qiniq.com" <saonaujaat@qiniq.com>, "White-Sateana, Art" <AWhite-Sateana@gov.nu.ca>, Ali Shaikh <ali.shaikh@nwb-oen.ca>

Good Morning Richard,

I have reached out to CIRNA and have also begun trying to track down more information on the spills that occurred by third parties in 2019 but have not heard back on either correspondence.

As suggested by NWB, and since this comment does not directly impact the renewal and amendment application, I would like to request that this be resolved in the 2020 annual report submission, rather than in this application. The licensee will include as much information as possible on these 2019 spills, as well as any spills that occur in 2020.

Thank you,

Sarah Collins P. Eng
Municipal Planning Engineer

From: Richard Dwyer <richard.dwyer@nwb-oen.ca>

Sent: Friday, November 13, 2020 3:46 PM

To: Collins, Sarah <SCollins@GOV.NU.CA>

Cc: saonaujaat@qiniq.com <saonaujaat@qiniq.com>; White-Sateana, Art <AWhite-Sateana@gov.nu.ca>; Ali Shaikh <ali.shaikh@nwb-oen.ca>

[Quoted text hidden]

[Quoted text hidden]