NWB Tools

Ida Porter <ida.porter@nwb-oen.ca>

190510 3BM-PEL1419 Response to Technical Review of Annual Report 2017

1 message

Ida Porter <ida.porter@nwb-oen.ca> Fri, May 10, 2019 at 9:00 AM
To: "Alam, Shah" <salam@gov.nu.ca>
Cc: Licensing Department <licensing@nwb-oen.ca>
Bcc: Distro Kitikmeot <distro-kitikmeot@nwb-oen.ca>

The Nunavut Water Board ("NWB") acknowledges receipt of a submission from Department of CGS entitled Response to Technical Review Annual Report 2017 Hamlet of Kugaaruk for Water Licence 3BM-PEL1419 received on May 10, 2019 as a requirement of Part B, Item 1, This submission has been placed on the NWB public registry and is available from the NWB ftp site.

ftp://ftp.nwb-oen.ca/registry/3%20MUNICIPAL/3B/3BM%20-%20Municipality/3BM-PEL1419/3%20TECH/1%20GENERAL%20(B)/2%20ANNUAL%20RPT/2017/

This notification is addition information submitted as part of the 2019 Renewal Water Licnece Application.

Regards,
Ida

BCC: Kitikmeot Distribution List

Ida Porter- ᐊᐃᑕ ᐳᐊᑕ
Licence Administrator- Administratrice des permis
ᓚᐃᓴᓕᕆᔨ ᐊᐅᓚᑦᑎᔨ- Laisaliginiqmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᕗᑦ ᐃᒪᓕᕆᔨᑦ ᑲᑎᒪᔨᖏ - NUNAVUT IMALIRIYIN KATIMAYINGI
www.nwb-oen.ca

P.O. Box 119 Gjoa Haven, NU, X0B 1J0
C.P. 119 Gjoa Haven (Nunavut), X0B 1J0
ᑎᑎᕋᖅᑕᖅ 119 ᐅᑦᓱᕈᒍᓐ, ᓄᓇᕗᑦ X0B 1J0
Titigaqqavia 119 Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ᓯᕗᔭᐅᑦ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᓱᒃᑯᑦ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐊᑭᖃᖏᑦᑐᖅ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

2 attachments

180608 3BM-PEL1419 2017 Annual Report Tech Review-ODBE.pdf
147K

190509 3BM-PEL1419 Respond to Technical Review of Annual Report 2017-ILAE.pdf
1185K