



NWB Tools

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

140210 3BM-PEL0712

1 message

Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

Mon, Feb 10, 2014 at 4:38 PM

To: Hamlet of Kugaaruk <sao_kug@qiniq.com>, Shah Alam <salam@gov.nu.ca>

Cc: Karén Kharatyan <karen.kharatyan@nwb-oen.ca>

Please be advised that the attached request for outstanding information has not been actioned by the Hamlet or GN. Please review and provide the deficiencies as soon as possible in order for the NWB to move forward with the renewal.

Regards,



Phyllis Beaulieu- ᐱᓕᑦ ᐅᓕᐅᑦ

Manager of Licensing- Responsable des permis

ᐃᐅᑦᐱᓪ ᑕᐃᔭᑦᐱᓂᑦ⁹⁶ J^C- Maniyauyuq Laisaliginiqmum

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᓴᓐ ᐃᓕᓕᓴᓐ ᓐᓂᓕᓴᓐ - NUNAVUT IMALIRIYIN KATIMAYINGI
www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

በበኛጌል፤ 119
፲፫፻፵፭, ጳጳስ X0B 1J0

Titigaqavua 119
Uqhuqtuuq, NU, X0B 1J0

Toll Free / Sans Frais / ᐱᕈᖅᕐᕐᕐ / Akiittuq: 1-855-521-3745

Tel / Téléphone / ᐅᐅᐅᐅᐅ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐅᐅᐅᐅᐅᐅ / Fax-kut: (867) 360-6369

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(x) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email



130424 3BM-PEL0712 Requirement for Submissions-OKKE.pdf
834K