

## 3BM-PEL1929 2019 Annual Report

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Mon, Mar 30, 2020 at 3:42 PM

To: sao kug@qiniq.com, "Alam, Shah" <salam@gov.nu.ca> Bcc: Distro Kitikmeot < distro-kitikmeot@nwb-oen.ca>

Good afternoon,

The Nunavut Water Board acknowledges receipt March 30, 2020 of 2019 Annual Report for Hamlet of Kugaaruk water licence 3BM-PEL1929, it has been saved the link below:

ftp://ftp.nwb-oen.ca/registry/3%20MUNICIPAL/3B/3BM%20-%20Municipality/3BM-PEL1929/3% 20TECH/B%20GENERAL/2%20ANNUAL%20RPT/2019/

This report is distributed for information purposes only.

Regards,

Richard



## 

Manager of Licensing - Responsable des Permis < いっこう ことうしょ Maniyauyuq Laisaliginigmun

## NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT DOS ALCOS BOLZ P- NUNAVUT IMALIRIYIN KATIMAYINGI

P.O. Box 119 Gjoa Haven, NU X0B 1J0

C.P. 119 Gjoa Haven, NU X0B 1J0

175 56 A 46 Dept 808 150 x Corye Corye

Titigaqaqvia 119 Ughighing, NU, X0B 1J0

Tel / Téléphone / イペナン( / Hivayauta: (867) 360-6338 | Fax / Télécopieur / とっぱ / Fax-kut: (867) 360-6369 Toll Free / Sans / <\P56\CO56 / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



🚅 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email