



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
Fax: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᑎᓕᓪᓴᓪ
NUNAVUT IMALIRIYIN KATIMAYINGI
NUNAVUT WATER BOARD
OFFICE DES EAUX DU NUNAVUT

December 10, 2009

File No: 3BM-PEL0712/TR/F2

Jennifer Spencer
Dillon Consulting Limited
4920 47th St. Suite 303
Box 1409, Yellowknife, NT X1A 2P1
By email: JSpencer@dillon.ca

Subject: Submission of Spill Plan for Sewage & Solid Waste Sites

Dear Ms. Spencer:

The Nunavut Water Board ("NWB") acknowledges receipt of a submission from Dillon Consulting Limited, on behalf of the Hamlet of Kugaaruk, entitled Hamlet of Kugaaruk, NU, Spill Contingency Plan, Sewage & Solid Waste Sites, received on November 4, 2009 as a requirement of Part F, Item 2 of water license 3BM-PEL0712. This submission has been placed on the NWB public registry and is available from the NWB ftp site, **Username: public, Password: registry**.

All representations shall be submitted to the NWB by mail, fax or email before January 15, 2010, 5:00 pm Mountain Standard Time. At the end of the review period the NWB will review all submissions and you will be contacted should concerns arise or should additional information be needed. Thank you.

Please forward all comments to licensingadmin@nunavutwaterboard.org

Sincerely,

Original signed by:

Richard Dwyer
Licensing Administrator

Cc: Kitikmeot Distribution List