



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
Fax: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᑎᓕᓪᓴᓯ
NUNAVUT IMALIRIYIN KATIMAYINGI
NUNAVUT WATER BOARD
OFFICE DES EAUX DU NUNAVUT

October 22, 2010

File No: 3BM-PEL0712/TR/F1

Andre Larabie, SAO
Hamlet of Kugaaruk
PO Box 205
Kugaaruk, NU X0B 1K0
Email: sao_kug@qiniq.com

Subject: Requirement for Submission of Addendum to Sewage Treatment Facility O&M
and Solid Waste Facility O&M

Dear Mr. Larabie:

In accordance with the motion numbers **2010-21-L01** Sewage Treatment Facility O&M approval and **2010-21-L02** Solid Waste Facility O&M approval for water licence 3BM-PEL0712, the Nunavut Water Board ("NWB") requires the submission of:

- Sewage Treatment Facility O&M addendum due April 25, 2010
- Solid Waste Facility O&M addendum due April 25, 2010

Please forward to the attention of licensingadmin@nunavutwaterboard.org

Sincerely,

Original signed by:

Richard Dwyer
Licensing Administrator

Copy	Sean Joseph	NWB
	Peter Kusugak	INAC
	Lou-Ann Cornacchio	INAC
	Jennifer Spencer	Dillon Consulting Limited