

3BM-PON1520 Hamlet of Pond Inlet Water Licence Renewal

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Thu, Mar 19, 2020 at 10:20 AM

To: David Stockley <sao@pondinlet.ca>, "Roy, Bhabesh"

 toroy@gov.nu.ca>

Bcc: Distro Qikiqtani <distro-qikiqtani@nwb-oen.ca>

Good morning,

The Nunavut Water Board ("NWB") acknowledges receipt on March 17, 2017 of your renewal water licence application, for the Hamlet of Pond Inlet water licence. This application has been assigned file number 3BM-PON1520. Please refer to this number on future submissions. Application documents received are as follows:

- 2019 Annual Report Hamlet of Pond Inlet WW Leachate 2019
- 2019 Annual Report
- Application Water Licence Renewal
- Cover Letter Water Licence Renewal
- · Letter of Authorization
- Plan for Compliance 2020 (March 11)
- · Summary English
- Summary Inuktitut
- Renewal application of the Water Licence

Please be advised that under the Agreement Between the Inuit of the Nunavut Settlement Area and Her Majesty the Queen in Right of Canada (Nunavut Agreement) Article 11, Section 11.5.9 and s. 76 (1) of Nunavut Planning and Project Assessment Act (NuPPAA), the proponent of a project governed by NuPPAA is also required to submit a project proposal document directly to the Nunavut Planning Commission (NPC or Commission) for the NPC's determination regarding the applicable land use planning requirements and/or directions regarding whether the project is subject to screening by the Nunavut Impact Review Board. In particular, please note that as established under Articles 11, 12 and 13 of the Nunavut Agreement, NuPPAA and Part 3 of the Nunavut Waters and Nunavut Surface Rights Tribunal Act, until the project has completed the applicable land use planning and assessment process required by the NPC and the NIRB, the NWB cannot issue a water licence/approval.

The NWB confirms receipt of NPC conformity under NuPPAA on November 8, 2019 and NIRB determination through NPC under NuPPAA on November 8, 2019. This application is now ready for review and comments. Deadline for submissions is **April 17, 2020**.

Regards,

Richard



Richard Dwyer- へ^cんっc コ る る くっc

Manager of Licensing - Responsable des Permis < いこいと になっている。 Maniyauyuq Laisaliginigmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT DOS ALCOS BOLZE - NUNAVUT IMALIRIYIN KATIMAYINGI

P.O. Box 119 Gjoa Haven, NU X0B 1J0

C.P. 119 Gjoa Haven, NU X0B 1J0 MASSE ASU DB/ 95 3,009 C XOB 1JO

Titigagagyia 119 Ughighing, NU, X0B 1J0

Tel / Téléphone / イペナン(/ Hivayauta: (867) 360-6338 | Fax / Télécopieur / とっぱ / Fax-kut: (867) 360-6369

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Africa de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

2 attachments

200319 3BM-PON1520 Distribution Review NPC NIRB Received-OMLE.pdf

200319 3BM-PON1520 Renewal Notice-OMLE.pdf 431K