



Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>

3BM -PON1012 Renewal Application

1 message

Sean Joseph <sean.joseph@nwb-oen.ca>

Thu, May 22, 2014 at 4:58 PM

To: "Roy, Bhabesh" <broy@gov.nu.ca>

Cc: David Hohnstein <dts@nwb-oen.ca>, Phyllis Beaulieu <phyllis.beaulieu@nwb-oen.ca>, Megan Porter <megan.porter@nwb-oen.ca>

Dear Mr. Bhabesh:

The Nunavut Water Board (NWB or Board) has completed its review of the application and supporting documents submitted by the Government of Nunavut - Community and Government Services on behalf of the Hamlet of Pond Inlet for the renewal of licence 3BM-PON1012.

Your submission consists of the following documents:

- Renewal Application form
- Application Cover Letter
- 2007 - 2011 Annual Reports
- English Summary of the Application
- Inuktitut Summary of the Application
- 2007 – 2011 Laboratory Test Results
- Waste Water Treatment Facility Slope Inspection Report

The review of the application determined that the following items must be addressed before the NWB could proceed to the next stage(s) of the licensing process for the application:

1. Copy of the of the Solid Waste Disposal Facility Report, required under Part F, Item 1 in the Licence
2. Copy of the updated, consolidated Operations and Maintenance Manual, required under Part F, Item 2, in the Licence
3. Copy of an analyst approval for the Quality Control/Quality Assurance Plan, as required under Part H, Item 13 in the Licence
4. An copy of an updated compliance plan for the Licence
5. Standalone copies of laboratory results for 2012, and 2013. Copies of the results, provided as embedded documents in the respective annual reports, are not viewable.

Apart from the above and as mentioned in our most recent meeting, the NWB recommends that the application for the Hamlet of Pond Inlet, "Water Crossing Project" be included under the scope of this renewal application.

If you have any questions, please contact me at your earliest convenience.

Regards,

Sean

