

From: [Westwell, Bill](#)
To: ["Phyllis Beaulieu"; Hamlet of Pond Inlet; Roy, Bhabesh](#)
Cc: [David Hohnstein; Sean Joseph](#)
Subject: RE: Requirement for submissions - 3BM-PON1012
Date: Tuesday, December 07, 2010 12:07:11 PM

Ms Beaulieu,

The Nunavut Water Board may expect the remainder of this information during the later part of January 2011. Some of the documentation is complete now, but we will wait to submit the remaining required information as a package then.

If you have any questions or concerns please do not hesitate to contact me.

Thanks,

Bill

From: Phyllis Beaulieu [mailto:licensing@nunavutwaterboard.org]
Sent: Monday, December 06, 2010 1:30 PM
To: Hamlet of Pond Inlet; Roy, Bhabesh; Westwell, Bill
Cc: David Hohnstein; Sean Joseph
Subject: Requirement for submissions - 3BM-PON1012

Please provide an update on when the Nunavut Water Board may expect submission of outstanding reports required under the following terms and conditions of the Licence issued to the Hamlet of Pond Inlet.

- a) B13 Plan for Compliance
- b) E3 Sewage Lagoon as-built plans and drawings, signed and stamped by an engineer
- c) F1 Solid Waste Disposal Facilities Update Report
- d) F2 Consolidated OM Manual
- e) G1 AR Plan for old sewage lagoon and temporary sewage disposal facility

Regards,

Phyllis Beaulieu
Manager of Licensing
Nunavut Water Board
P.O. Box 119
Gjoa Haven, NU X0B 1J0
Phone: (867) 360-6338, Ext. 26
Fax: (867) 360-6369
Email: licensing@nunavutwaterboard.org