NWB Tools

Richard Dwyer <richard.dwyer@nwb-oen.ca>

Hamlet of Pond Inlet Water Licence Renewal 3BM-PON2025

Richard Dwyer <richard.dwyer@nwb-oen.ca> Wed, Jun 10, 2020 at 12:12 PM
To: David Stockley <sao@pondinlet.ca>, "Roy, Bhabesh" <broy@gov.nu.ca>, Bhabesh Roy <br13858@gmail.com>
Bcc: Distro Qikiqtani <distro-qikiqtani@nwb-oen.ca>

Good afternoon,

Please see attached Hamlet of Pond Inlet water licence renewal 3BM-PON2025.

Regards,

Richard

Richard Dwyer- ᓇᑦᓱᕐᑦ ᑐᐊᐃᔪᕐ

Manager of Licensing - Responsable des Permis ᐊᐅᓚᑦᑎᐅ ᓚᐃᓴᓕᓇᓂᖅᒧᑦ- Maniyauyuq Laisaliginiqmun

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
ᓄᓇᕗᑦ ᐃᒪᓕᓇᐅᑦ ᑲᑎᒪᔨᖏᑦ- NUNAVUT IMALIRIYIN KATIMAYINGI

P.O. Box 119
Gjoa Haven, NU X0B 1J0

C.P. 119
Gjoa Haven, NU X0B 1J0

ᑎᑎᕋᖅᑲᑦ ᕕᖓ
ᐅᖅᓱᖅᑐᖅ, ᓄᓇᕗᑦ X0B 1J0

Titigaqqvia 119
Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ᓱᕋᔭᐅᑖ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᓱᑲᔪᒃᑯᑦ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐊᑭᖃᖏᑦᑐᖅ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

5 attachments

- **200604 3BM-PON2025 Replacement Licence-ODDE.pdf**
  917K
- **200414 3BM-PON1520 Renewal ECCC Comments-IMLE.pdf**
  138K
- **200501 3BM-POM1520 ECCC responses to CGS PondInlet WL-IMLE.pdf**
  277K
- **200417 3BM-PON1520 Renewal CIRNA Comments-IMLE.pdf**
  135K
- **200501 3BM-PON1520_CIRNAC_REPLY_TO_APPLICANT_RESPONSE_ON_COMMENTS-IMLE.pdf**
  235K