



NWB Tools

Ida Porter <ida.porter@nwb-oen.ca>

**[Licensing] RE: NRI Research Arctic Wastewater Stabilization Pond Mac Dougall
July 17**4 messages

Brian Aglukark <aglukark@nunavut.ca>

Tue, Jul 7, 2015 at 9:22 AM

To: "Cote, Mosha" <Mosha.Cote@arcticcollege.ca>, Info at NIRB <info@nirb.ca>, "XCNA-NT-NUpermit@dfo-mpo.gc.ca" <XCNA-NT-NUpermit@dfo-mpo.gc.ca>, Licensing Department <licensing@nwb-oen.ca>, "hamletpond_sao@qiniq.com" <hamletpond_sao@qiniq.com>, "htopond@qiniq.com" <htopond@qiniq.com>, "landsmining@aandc.gc.ca" <landsmining@aandc.gc.ca>, Salamonie Shoo <landadmin@qia.ca>, Sharon Edmunds-Potvin <SEdmunds-Potvin@tunngavik.com>, "rmakkik@tunngavik.com" <rmakkik@tunngavik.com>
Cc: "14am87@queensu.ca" <14am87@queensu.ca>

Good morning Mosha,

Thank you for your email.

The Nunavut Planning Commission (NPC) has reviewed the attached project proposal and, based on the coordinates and information provided, determined that it is located within the municipal boundaries of Pond Inlet.

The NPC gives significant weight to the views and wishes of the municipalities in which planning is being conducted. As such, it is the general practice of the NPC not to carry out conformity determinations on project proposals inside a municipal boundary, unless one or more of the following apply;

- a) there is potential for that project to have impacts outside the municipal boundary;
- b) the municipality has specifically requested that the NPC issue a conformity determination; or
- c) a Nunavut Water Board License is required.

The NPC, having reviewed the information provided, has determined that none of the criteria outlined above applies to this project proposal. As such, no further review is required by the NPC at this time.

The NPC respects the statutory tools available to the municipality in dealing with this matter and fully supports any decision the municipality makes with regards to this project.

Please contact me should you have any questions.

Mutna,