

**ANNUAL REPORT  
FOR THE HAMLET OF QIKIQTARJUAQ**

---

**YEAR BEING REPORTED: 2012 for 2011**

The following information is compiled pursuant to the requirements of Part B, Item 1 of Water License # 3 BM -QIK 0712 issued to the Hamlet of Qikiqtarjuaq.

- i) - iii) tabular summaries of all data generated under the “Monitoring Program”; monthly and annual quantities in cubic metres of freshwater obtained from all sources; monthly and annual quantities in cubic metres of each and all wastes discharged;

Attached are quantities of water used as reported in our On Tap Water Delivery System and the estimated discharge of sewage waste based on quantities used.

<b>Month Reported</b>	<b>Quantity of Water Obtained from all sources (litres)</b>	<b>Quantity of Sewage Waste Discharged (Estimated)</b>
<b>January 2011</b>	1445201.50	Same
<b>February 2011</b>	1397800.10	Same
<b>March 2011</b>	1560237.50	Same
<b>April 2011</b>	1529936.50	Same
<b>May 2011</b>	1477152.90	Same
<b>June 2011</b>	1536940.70	Same
<b>July 2011</b>	1379132.90	Same
<b>August 2011</b>	1510892.10	Same
<b>September 2011</b>	1528398.50	Same
<b>October 2011</b>	1459592.90	Same
<b>November 2011</b>	1473149.30	Same
<b>December 2011</b>	1463133.10	Same
<b>ANNUAL TOTAL</b>	17761568.00	Same

Note: The average consumption volume is considered equal for each month. There is no meter existing at the discharge pipe. Therefore the monthly discharge

**ANNUAL REPORT  
FOR THE HAMLET OF QIKIQTARJUAQ**

---

- iv. a summary of modifications and/or major maintenance work carried out on the Water Supply and Waste Disposal Facilities, including all associated structures and facilities;  
\_\_\_\_\_  
The water supply system, Sewage lagoon and solid waste management site have been expanded, improved and upgraded.
- v. a list of unauthorized discharges and summary of follow-up action taken;  
\_\_\_\_\_  
Nil
- vi. a summary of any abandonment and restoration work completed during the year and an outline of any work anticipated for the next year;  
\_\_\_\_\_  
Nil
- vii. a summary of any studies requested by the Board that relate to waste disposal, water use or reclamation, and a brief description of any future studies planned;  
\_\_\_\_\_  
The studies on solid waste was completed recently. Waiting for the direction from CGS Capital Planning.  
\_\_\_\_\_
- viii. any other details on water use or waste disposal requested by the Board by November 1st of the year being reported; and  
\_\_\_\_\_  
Nil
- ix. updates or revisions to the approved Operation and Maintenance Plans.  
\_\_\_\_\_  
Updated O&M manuals have been submitted to NWB.  
\_\_\_\_\_
- ADDITIONAL INFORMATION THAT THE LICENSEE DEEMS USEFUL:**  
\_\_\_\_\_  
Hamlet is building a land farm. Once construction is completed, the O&M manual will be submitted to NWB to satisfy the requirement of the water license.  
\_\_\_\_\_
- FOLLOW-UP REGARDING INSPECTION/COMPLIANCE CONCERNS:**  
\_\_\_\_\_  
Hamlet is working with CGS for INAC inspection concerns and Water License compliancy.  
\_\_\_\_\_

**ANNUAL REPORT  
FOR THE HAMLET OF Qikiqtarjuaq**

---