



[Licensing] Re: Qikiqtarjuaq 3BM-QIK0712 renewal Licence: Monitoring Stations

Karén Kharatyan <karen.kharatyan@nwb-oen.ca>
To: "Roy, Bhabesh" <BRoy@gov.nu.ca>
Cc: Licensing Department <licensing@nwb-oen.ca>

Tue, Jun 17, 2014 at 1:58 PM

Bhabesh,

Thank you for the call. So I will be looking for your suggestions regarding the Monitoring Program and responses to AANDC comments.

Regards,



Karén Kharatyan, Ph. D- ԵՌԱՅԻՆ ԲՏՈՒՄ

Technical Advisor- Conseiller Technique

ΛΔ^{9b}Δ^{9b}ΓΔσ^{9b}Γ^c Δb^{9b}Π- Piluaqnaqtuliginiqmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
 ᓄᓇᑦ ᐃᓕᓂᐱᑦ ᑲᓂᓕᑦᑦ - NUNAVUT IMALIRIYIN KATIMAYINGI
www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

በበኞቹ 119
ጥያቄዎች ውስጥ 108 ገንዘብ

Titigaqavua 119
Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ᐅᐅᐅᐅ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐅᐅᐅᐅ / Fax-kut: (867) 360-6369
Toll Free / 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et tout(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Tue, Jun 17, 2014 at 1:36 PM, Roy, Bhabesh <BRoy@gov.nu.ca> wrote:

Karen

I told you that no sign was installed last year. And every year the lagoons are not decanted because they are using both and they have huge capacity. However, the description of the last year's tests are as follows.

B13-23734: Turbidity testing for raw water

B13-01996: Chemical analysis of Raw Sewage from the Truck;

B13-23733: Chemical analysis of raw drinking water

B13-23733: Chemical analysis of Lagoon sewage

B13-23730: Chemical analysis of the Discharge from the Sewage Disposal Facilities at the controlled point of release following treatment: **QIK-6; (Compliance Point)**.

Thanks.

Bhabesh

From: Karén Kharatyan [mailto:karen.kharatyan@nwb-oen.ca]

Sent: Tuesday, June 17, 2014 10:19 AM

To: Roy, Bhabesh

Cc: Licensing Department

Subject: Re: Qikiqtarjuaq 3BM-QIK0712 renewal Licence: Monitoring Stations

Good morning Bhabesh,

It was obvious that not all sites are being sampled. The lab results don't unfortunately refer to the sampling sites and as such it is not clear which sites are being sampled. Could you clarify which sites are sampled?

And also, the expired licence included existing and new proposed monitoring stations, however. because of lack of monitoring we do not know whether those new monitoring stations were installed or not. So it would be appreciated if you provide the current status of all monitoring stations.

As you can see from the AANDC comments they were asking additional information and clarifications. Could you review these and answer to issues raised in their submission as well.

Regards,



Karén Kharatyan, Ph. D- ԵՌՊՀ ԲՏՈՒՄ

Technical Advisor- Conseiller Technique

ᐱᓕᑦᑐᐅᑦ ᑭᓪᓴᐅᑦ- Piluaqnaqtuliginigmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

መጋሪ ልረብራፕ ኮሲቲዮ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Gjoa Haven, NU, X0B 1J0

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

ဂဏန်းအရ ၁၁၉

▷^cل^قج^ق، م^قج^ق X0B 1J0

Titigaqavva 119

Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ᐃᑭᐅᑦ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐃᑭᐅᑦ / Fax-kut: (867) 360-6369

Toll Free / 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courriel électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Tue, Jun 17, 2014 at 6:06 AM, Roy, Bhabesh <BRoy@gov.nu.ca> wrote:

Karen,

I answered yesterday. All the stations were not identified and sampled in 2013. Hamlet received signs and they will be installing them in this summer to cover sampling for all the Monitoring stations from 2014.

Thanks.

Bhabesh

From: Karén Kharatyan [mailto:karen.kharatyan@nwb-oen.ca]
Sent: Tuesday, June 10, 2014 5:05 PM
To: Roy, Bhabesh
Cc: Licensing Department
Subject: Qikiqtarjuaq 3BM-QIK0712 renewal Licence: Monitoring Stations

Hi Bhabesh,

How are you?

One question regarding the Qikiqtarjuag Licence renewal please:

It seems the 2013 Lab results present analytic results for just 4 monitoring stations. As the Licence includes 18 (15 with original licence and additional 3 with the amendment) monitoring stations (some not active) it would be helpful to clearly indicate the status of those Monitoring Stations.

It would be very appreciated if by the end of week you check the Monitoring Program Stations (Part H, Item 1) and provide the status of these stations.

Regards,



Karén Kharatyan, Ph. D- ԵՌՁ ԵՏՈԿՁ

Technical Advisor - Conseiller Technique
 ᐱᓕᑦᑲᑦ ᑭᑦᑎᑦᑯᑦᑲᑦ ᐃᑭᑦᑲᑦ - Piluagnaqtuliginigmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT
 ᓄᓇᓴᓐ ᐃᓕᓕᓐᓴᓐ ᑲᓄᓕᓴᓐ - NUNAVUT IMALIRIYIN KATIMAYINGI
www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

በበኛቴል። 119
፲፫፻፵፭, ጳጳስ X0B 1J0

Titigaqavua 119
Uqhuqtuuq, NU, X0B 1J0

Tel / Téléphone / ᐅᐅᐅᐅ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐅᐅᐅᐅ / Fax-kut: (867) 360-6369
Toll Free / 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

