



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

ᓄᓇᓂᓪ ᐃᐭᓕᓂᓪᓴᓪ ᑲᑎᐭᓪᓴᓪ
NUNAVUT WATER BOARD
NUNAVUT IMALIRIYIN KATIMAYINGI

NWB File No: NWB3QIK0106

October 31, 2005

Bill Buckle
Senior Administrative Officer
Municipality of Qikiqtarjuaq

Re: Acknowledgement Annual Report 2004

Dear Mr. Buckle,

The Nunavut Water Board (NWB) acknowledges receipt on June 8th, 2005 of your 2004 Annual Report as required by Part B, Item 1 of your water licence. The Board has reviewed your report and has determined that the following information be provided (Part B, Item 1) within the 2005 Annual report due no later than March 31, 2006:

- a) As per Environment Canada (EC) comments, the Licensee is to provide a detailed summary outlining what measures have been taken to date and what steps are proposed in the future that address the mitigation of operational issues with the sewage lagoon.
- b) As per the Annual Report Requirements addressed by the NWB to the Licensee in a letter dated September 30th, 2004, the Licensee is to develop and implement a Monitoring Plan and provide sufficient detail on how the Hamlet intends to address unsatisfactory effluent quality in the immediate future.

On an endnote the Board would like to remind the Licensee that Annual Reports are to be submitted no later than March 31st of the following year being reported.

Please call the undersigned at (867) 360-6338 or email at licensing@nwb.nunavut.ca if you have any questions.

Sincerely,

Original signed by:

Phyllis Beaulieu
Manager of Licensing

Pb/Jm

cc. Distribution List