



P.O. Box 119
GJOA HAVEN, NU X0B 1J0
TEL: (867) 360-6338
FAX: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᑎᓚᓪᓴᓯ
NUNAVUT WATER BOARD
NUNAVUT IMALIRIYIN KATIMAYINGI

June 19, 2001

Ron Roach
Senior Administrative Officer
Hamlet of Rankin Inlet
P.O. Box 310
Rankin Inlet, NU X0C 0G0

Re: Water Licence Requirements

Dear Mr. Roach:

In the letter dated December 6, 2000 addressed to you from Philippe Lavellee of Indian and Northern Affairs Canada, the inspector indicates that formal review of the sewage screenings at the solid waste disposal site could be reviewed by NWB in a timely manner if the memorandum was updated or validated by the Municipality.

Regardless of the above, the Municipality of Rankin is required to file a water licence application. To complete a water licence application, the following items are required:

- application form
- supplementary municipal questionnaire
- summary of application in both English AND Inuktitut
- \$30 application fee payable to the Receiver General for Canada
- relevant maps and drawings (maximum size 11" x 17" unless submitted electronically).

I am attaching a copy of our application form and supplementary questionnaire. A copy of both of these items can be obtained in Inuktitut upon request. If you would like electronic copies, please request them by e-mail to rbecker@polarnet.ca.

If you have any questions about the information required in our application form or supplementary municipal questionnaire, please contact our technical advisor, Dionne Filiatrault, at the above numbers or by e-mail at dionne@polarnet.ca.

We look forward to receiving your application.

Sincerely,
Original signed by:

Rita Becker
Licensing Administrator

cc. Philippe Lavallee, DIAND Inspector
Paul Smith, DIAND
Paula Pacholek, DIAND
Chris Nichols, DSD
Wanda Poirier, Kivalliq Health & Social Services
Doug Sitland, CG&T