



P.O. Box 119  
Gjoa Haven, NU X0B 1J0  
Tel: (867) 360-6338  
Fax: (867) 360-6369

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᓅᓂᓕᓂᓪ  
NUNAVUT WATER BOARD  
NUNAVUT IMALIRIYIN KATIMAYINGI  
OFFICE DES EAUX DU NUNAVUT

File: 3BM-RAN0207

The following summary report was prepared to take into consideration all information received as of July 27, 2009. This was completed in conjunction with the receipt of a renewal application received on March 19, 2009. The Municipal Water Licence for the Hamlet of Rankin Inlet expired on November 30, 2007.

**Subject: Assessment of Administrative Compliance: Municipal Water Licence Renewal For the Hamlet of Rankin Inlet**

The Nunavut Water Board ("NWB") has taken the opportunity to summarize the information regarding water Licence 3BM-RAN0207, to review the public registry files and confirms that the following information is on file with the NWB, with respect to requirements of the Licence and if not found on the NWB FTP site, is available upon request for review along with the application.

**LICENCE**

Original Licence issued: December 1, 2002  
Licence expiry: November 30, 2007

**PART A - SCOPE, DEFINITIONS AND ENFORCEMENT**

Inspection Report:

Date of Inspection:	Received:
September 17, 2003	October 28, 2003

Issues raised (2003 inspection report):

- No way to control access to the landfill and the fence has several large holes.
- Hamlet is out of compliance with respect to segregating waste, properly containing hazardous materials, storage and disposal of waste oil, maintaining a monitoring program, providing A&R plans for the decommissioning of the existing landfill, Operation and Maintenance Manuals for existing sites and providing an annual report.

**PART B - GENERAL CONDITIONS**

Annual Report:

<b>Year Reporting:</b>	<b>Received:</b>
2002-2007	Not Received
2008	March 19, 2009 (with renewal application)

Fees Provided: Not Applicable

### **PART C - WATER USE**

Maximum water use under current licence is 400,000 m<sup>3</sup>/year  
To be obtained from Water Supply Facilities operated by the Government of Nunavut.

### **PART D - WASTE DISPOSAL**

No items to note;

### **PART E - MODIFICATION AND CONSTRUCTION**

No modifications requested under the Licence.

### **PART F - OPERATION AND MAINTENANCE**

Part F, Item 1 requires that an Operation and Maintenance Plan be submitted before December 1, 2003 to the NWB for approval.

The Plan entitled “Solid Waste Management Facility, Operation and Maintenance (O&M) Plan, Hamlet of Rankin Inlet” dated December 2008 has been received with the renewal application.

### **PART G - ABANDONMENT AND RESTORATION**

Part G, Item 1 requires that an A&R Plan be submitted, six (6) months prior to closure of any licensed facilities or plans to build new replacement facilities.

To Plan entitled “Rankin Inlet Solid Waste Site Abandonment and Restoration Plan” dated July 2009 has been received by the NWB on July 10.

### **PART H - MONITORING PROGRAM**

A Plan entitled “Environmental Monitoring Program and Quality Assurance/Quality Control Plan, Hamlet of Rankin Inlet, Nunavut” dated December 2008 has been received with the Renewal application.

All data collected under the Monitoring Program is to be submitted with the Annual Report.

### **ANY OTHER RELEVANT LICENSING INFORMATION**

- None

Date: July 27, 2009