



NWB Tools

Ida Porter <ida.porter@nwb-oen.ca>

[Licensing] 3AM-ARV1015 and 3BM-RAN1214 - Renewal & Amendment Applications

Cynthia Ene <cynthia.ene@nwb-oen.ca>

Tue, Aug 11, 2015 at 3:46 PM

To: "Ruediger, Ralph" <RRuediger@gov.nu.ca>, "Lusty, Megan" <MLusty@gov.nu.ca>

Cc: David Hohnstein <david.hohnstein@nwb-oen.ca>, Licensing Department <licensing@nwb-oen.ca>, Karén Kharatyan <karen.kharatyan@nwb-oen.ca>

Good Afternoon,

The NWB would like to follow-up on the submissions discussed below (email dated May 20, 2015) for the renewal and amendment application for 3AM-ARV1015. The expected submission timeframe was for May 22, 2015. Given it has been beyond the timeframe expected for the response, the NWB would like to confirm when a response might be expected.

For the 3BM-RAN1214 renewal and amendment application, the NWB acknowledges the request to submit the revised *Solid Waste Management O&M Plan*, by August 31, 2015. The NWB would like to confirm if the revised *Environmental Emergency Contingency Plan* (dated December 2008) will also be submitted on August 31, 2015. Further details on the revisions expected are in the email below (dated July 31, 2015).

Thank you,



Cynthia Ene, MBA, P.Eng. - ٲٲٲٲ ٲٲٲٲ

Technical Advisor- Conseillère Technique

Aḡṭ^sa Ṣṣrḥσ^s]C Δbʿ^sB- Piluaqnaqtuliginiqmum Ikayuqi

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᓄᓇᐅᑦ ᐱᒪᕋᐲᑦ ከባሊጥ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Gjoa Haven, NU, X0B 1J0

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

በጥናቱ ላይ 119

၂၀၁၃ ခု၊ မေလ ၁၀ ရက်

Titigachovia 119

Udington, NU, X013 1J0

Tel / Téléphone / ᐱᐱᐱᐱᐱ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐱᐱᐱᐱᐱ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐱᐱᐱᐱᐱᐱᐱᐱᐱ / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Tue, Jul 21, 2015 at 3:49 PM, Cynthia Ene <cynthia.ene@nwb-oen.ca> wrote:

Good Afternoon Megan,

For the 3AM-ARV1016 renewal & amendment application, we received ministerial approval for the extension of the file. Earlier today, our licensing team forwarded the approval details to you. Please note however that in order to complete the renewal and amendment of this type A application, we would like to move forward with the technical review phase in a timely fashion.

I know you mentioned that a number of EC and AANDC's comments centered on future upgrades of infrastructure in Irviat, and that you are waiting for feedback from CGS HQ/Capital Planning division to include in the response. Can you forward the information you have already gathered for the other items previously listed.

Thanks,



Cynthia Ene, MBA, P.Eng.- ٧٥٢٧ ٧٧٧٧

Technical Advisor- Conseillère Technique

Aᑭᓐᓇ ᕈᒃᔨᓂᓄᗻ Δᖅᓴᕆ- Puluqnaqtuliginigmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᓄᓇᓂᓪ ᐃᓚᓕᓚᓪ ᓐᑎᓚᓪᓴᓪ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjøa Haven, NU, X0B 1J0

Gjoa Haven (Nunavut), X0B 1J0

၂၀၁၆ ခုနှစ် ၁၁၉
 ၂၀၁၆ ခုနှစ် ၁၁၉

Uqhuqtuq, NU, XOB 110

Tel / Téléphone / འཕྲིན་ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / འཕྲིན་ཅིག་ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᐱᓕᓯᓂᓴᓵᓴᓄᓐ / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.

 Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

On Wed, May 20, 2015 at 2:36 PM, Lusty, Megan <MLusty@gov.nu.ca> wrote:

Hi Cynthia,

I will have the response to you by Friday (May 22, 2015). Because a number of EC and AANDC's comments centered on future upgrades of infrastructure in Arviat, I am waiting for feedback from CGS HQ/Capital Planning division to include in the response.

Regards,

Megan



Cynthia Ene, MBA, P.Eng.- ٲٲٲٲ ٲٲٲٲ

Technical Advisor- Conseillère Technique

Aḍḥ^ᶜq^ᶜᵛcᵛσ^ᶜJ^c Δb^rᶜN- Puluqnaqtuliginigmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᓄᓇᑦ ᐃᓚᓕᓂᑦ ᓐᓂᓚᑦ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119

Gjoa Haven, NU, X0B 1J0

C.P. 119

Gjoa Haven (Nunavut), X0B 1J0

၂၂၆၆၆၆ ၁၁၁

▷^c▷^a▷^a, $\mathbf{m} \mathbf{m} \mathbf{m}^c$ X013 110

Titigacaqvia 119

Udhandling, NU, X013 110

Tel / Téléphone / ᐅᐅᐅᐅᐅᐅ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐅᐅᐅᐅᐅᐅ / Fax-kut: (867) 360-6369

Toll Free / Sans / ᐱᓕᑭᑦᑐᓂᐅᓄᐃᓪᓴᓂᐅ / Akiittug: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email

----- Forwarded message -----

From: **Cynthia Ene** <cynthia.ene@nwb-oen.ca>

Date: Thu, Jul 23, 2015 at 4:50 PM

Subject: 3BM-RAN1214

To: "Lusty, Megan" <MLusty@gov.nu.ca>

Cc: Licensing Department <licensing@nwb-oen.ca>

The Nunavut Water Board acknowledges the applicant's request to submit the outstanding revised Solid Waste Management O&M Plan by the 31st of August 2015.

The Board requests that the following outstanding items be submitted in order to continue the processing of the Hamlet of Rankin Inlet's renewal/amendment application, Water Licence No. 3BM-RAN1214:

1) Part F, item 3: The Licensee shall submit to the Board for approval, within ninety (90) days of Licence issuance, a revision to the *Environmental Emergency Contingency Plan, Hamlet of Rankin Inlet*, dated December 2008, consisting of:

- a. An executive summary in English and Inuktitut;
- b. A Landfarm Operational Contingency Plan to deal with seepage from the facility;
- c. A map of the 50 year flood plain relative to the Landfarm Facility and Waste Disposal Facilities;
- d. The use of secondary containment or surface liners (drip pans, fold a tanks, etc.) under all containers and vehicle fuel tank inlet and outlet points, hose connections and hose ends during fuel or hazardous substance transfers;
- e. An outline of appropriate spill response equipment and clean-up materials (absorbents, containment devices, etc.) to be on hand during any transfer of fuel or hazardous substances and at vehicle maintenance areas;
- f. Updated contact information for the AANDC Field Operations Division; and
- g. The locations of all hazardous materials, spill response equipment and clean up materials.

2) Part F, item 2: The Licensee shall submit to the Board for approval, within ninety (90) days of Licence issuance, a revision to the *Solid Waste Management Facility Operation and Maintenance (O&M) Plan Hamlet of Rankin Inlet*, dated December, 2008, to address the following:

- a. An executive summary in English and Inuktitut;
- b. Procedures for the testing and characterization of sewage sludge generated by the Hamlet of Rankin Inlet under Licence 3AM-GRA1015 to ensure the materials are non-hazardous and proper storage and/or handling and disposal at the Waste Disposal Facilities are provided;
- c. Updated monitoring requirements in accordance with the Monitoring Program outlined in Part H;
- d. Types of wastes suitable for treatment in the Landfarm Facility in accordance with the definition provided in Part A of the Licence for Petroleum Hydrocarbon Impacted Soil;
- e. Recommended depths of contaminated soil placed in the Landfarm Facility;
- f. Independent third party sampling and testing of treated soil prior to removal from the Landfarm Facility for reuse; and
- g. Landfarm Facility Effluent quality criteria in accordance with Part D;

3) The renewal & amendment application cover letter submitted states that "there are no plans to commission" a new

Solids Waste Site, while also stating that "resources would better be used to carry-out the work needed to abandon and restore this site, than to install groundwater monitoring wells for a facility that will be decommissioned as soon as possible". The NWB requests that the applicant provide information to the board regarding plans for the current landfill as well as the new landfill.

4) On July 3, 2015, the NWB received AANDC's memorandum, comments and recommendations as they pertain to the Hamlet of Rankin Inlet's renewal and amendment application of Water Licence No. 3BM-RAN1214. The NWB has attached these for your review and requests that the applicant provide a response to the non-compliance issues identified during AANDC's 2014 site inspection (August 19, 2014).

Please do not hesitate to contact me if you have further questions and comments. The Board is willing to develop a revised compliance plan with the applicant in order to maintain a timely renewal/amend process.



Cynthia Ene, MBA, P.Eng.- ٲٲٲٲ ٲٲٲٲ

Technical Advisor- Conseillère Technique

ᐱᓗᑦᑐᕋᕈᕆᔭᕆᔪᔭᕆᔪᔭ ᐃᔨᕐᒃᑲ- Piliuaqnaqtuliginigmun Ikayuqti

NUNAVUT WATER BOARD - OFFICE DES EAUX DU NUNAVUT

ᓄᓇᓂᓪ ᐃᓕᓕᓂᓪ ᑲᑎᓕᓂᓪ - NUNAVUT IMALIRIYIN KATIMAYINGI

www.nwb-oen.ca

P.O. Box 119
Gjoa Haven, NU, X0B 1J0

C.P. 119
Gjoa Haven (Nunavut), X0B 1J0

၂၀၁၆-၁၇ ၁၁၉
၂၀၁၇-၁၈ ၁၂၀

Titigaqavua 119
Uqhuqhuq, NU, X0B 1J0

Tel / Téléphone / ᐅᐅᐅᐅᐅ / Hivayauta: (867) 360-6338 | Fax / Télécopieur / ᐅᐅᐅᐅᐅᐅ / Fax-kut: (867) 360-6369
Toll Free / Sans / ᐅᐅᐅᐅᐅᐅᐅᐅᐅ / Akiittuq: 1-855-521-3745

WARNING - This communication, including any attachments contains confidential information intended only for the addressee(s) noted above. Any unauthorized distribution, copying, or disclosure is strictly prohibited. If you have received this by mistake, please notify the sender immediately and delete this message without printing or copying it. Thank you.

AVIS DE CONFIDENTIALITÉ - Ce message, et toute(s) pièce(s) jointe(s) est confidentiel et est à l'usage exclusif du(es) destinataire(s) ci-dessus. Toute autre personne est par la présente avisée qu'il lui est strictement interdit de le diffuser, le distribuer ou le reproduire. Si le destinataire ne peut être joint ou vous est inconnu, veuillez informer l'expéditeur par courrier électronique immédiatement et détruire ce message et toute copie de celui-ci. Merci pour votre collaboration.



Merci de penser à l'environnement avant d'imprimer ce courriel / Thank you for thinking of the environment before printing this email